State of North Carolina E-Procurement Service Division of Purchase and Contract Ordering Instructions for Term Contract 445A Tools, Hand, and Related Accessories

Applied Industrial Technologies - Craftsman

Steps to place your additional items order via E-Procurement:

- 1. Locate the additional item you want from the list below
- 2. Return to your eRequisition in E-Procurement
- 3. Click on "Add Items"
- 4. Click on the tab marked "Non-Catalog"
- 5. In the field titled "Full Description", type in "Tools, Hand, and Related Accessories order per Term Contract 445A" and any additional descriptive text
- 6. In the field titled "Commodity Code", click on the +, select the appropriate Commodity Code
- 7. In the field titled "Supplier", click on the +, select the appropriate vendor
- 8. In the field titled "Quantity", type in the appropriate quantity of your order
- 9. In the field titled "Unit of Measure", leave the default EACH
- 10. In the field titled "Price", type in the price of the item as listed below
- 11. Complete all other appropriate information on this page and click "Add Item"
- 12. On the View Line Items page click "Edit" to access the Edit Line Item page
- 13. On the drop down box next to "Contract?" select "Statewide"
- 14. When you select "Statewide", the "Contract ID" Field appears
- 15. Enter the Term Contract ID Number into the "Contract ID" field. Do not use spaces or dashes in the Term Contract ID Number. Your Term Contract Number should be entered as follows: "445A"
- 16. Click "OK"; repeat the "Edit" steps for all State Contract line items; when completed click "Next"
- 17. Complete the Shipping and Accounting screens appropriately
- 18. Continue your order placement process and submit your eRequisition

Refer to the contract for restrictions and additional information

The following Craftsman items have been awarded on this contract. Please follow instructions above to order these items. Prices are effective 9/1/2010.

		Net Unit		Commodity
Part Number	Product Description	Price	UOM	Code
9-3668	Brush, Wire, Curved Handle, 13 3/4" Long	4.12	EA	445-43
	Tap Wrench, Ratchet, Adjustable "T" Handle, #12-1/2"			
9-4064	Capacity, 4 1/2" Length	23.73	EA	445-91
	Tap Wrench, Ratchet, Adjustable "T" Handle, #0-1/4"			
9-4065	Capacity, 3 1/2" Length	18.77	EA	445-91
	Inspection Mirror, Round, 2 1/4" Diameter, Telescoping			
9-4070	Handle extends from 10" to 14"	3.23	EA	445-51
9-4097	Inspection Mirror, 1" x 2" Oval, 8 1/2" Length	2.09	EA	445-51
	Inspection Mirror, Rectangular, 2 1/8" x 3 1/2", Telescoping			
9-4098	Handle Extends from 11 1/4" to 15 1/4"	3.19	EA	445-51
	Inspection Mirror, Round, 1 1/4" Diameter, Telescoping			
9-4099	Handle extends from 5 3/4" to 25 3/4"	4.01	EA	445-51
	Screwdriver Set, Precision, 6 Piece, .040", .055", .070", .100"			
9-4107	Slotted and #0 Phillips, Knurled Handle, Storage Case	4.47	EA	445-82
9-4118	Screwdriver, Phillips, Size #2, 1 1/2" Shank Length	1.89	EA	445-64
	Magnetic Pick Up Tool, Telescoping, Handle Extends from 16	_		
9-4132	3/4" to 26 3/4"	4.38	EA	445-29
9-4151	Screwdriver, Slotted, 1/4" Tip, 1 1/2" Shank Length	2.60	EA	445-64

Nut Driver, Set, Metric, 7 Piece, 5mm through 11mm, Plastic 20.12 EA 44 9-4256 Socket, Adapter, 3/8" Drive Converts to 1/4" 1.61 EA 44 9-4258 Socket, Adapter, 3/8" Drive Converts to 1/2" 2.03 EA 49 42271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 49 42271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 49 42271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 49 42271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 49 4.08 EA 49 4.08 EA 40 4.08 EA 4.08 E	Commodity Code
Nut Driver, Set, Metric, 7 Piece, 5mm through 11mm, Plastic	
9-4197 Carry Rack 9-4256 Socket, Adapter, 3/8" Drive Converts to 1/4" 9-4258 Socket, Adapter, 3/8" Drive Converts to 1/2" 9-4258 Socket, Adapter, 1/2" Driver, Converts to 1/2" 9-4271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 9-4283 Pry Bar, 1/2" x 16" 9-4283 Pry Bar, 1/2" x 16" 9-4285 Tool, Bright Red E-Coat for High Visibility 9-4285 Tool, Bright Red E-Coat for High Visibility 9-4308 11mm 9-4308 11mm 9-4319 Cotter Key Puller, 7" Overall Length 9-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 9-4336 Slide Bar Handle, 1/4" Drive, 14" Long 9-4354 1/2" Long 9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 9-4362 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 3/8" 9-4362 through 1", Plastic Pouch Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 9-4363 through 19mm, Plastic Pouch Wrench Set, Scrowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 9-4363 through 19mm, Plastic Pouch 9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 9-4436 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4432 Universal Joint, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4443 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4443 Universal Joint, 3/8" Drive, 5wings 90 Degrees 9-4440 Extension Bar, 3/4" Drive, 5" Length 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 8" Length 9-4443 Handle 9-4443 Handle 9-4444 Extension Bar, 3/4" Drive, 8" Length 9-4445 Finish Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial Finish Wrench, Adjustable, 12" Length, 1 1/8" Capacity, Industrial Finish Wrench, Adjustable, 15" Length, 1 1/8" Capacity, Industrial Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish Wrench, Adjustable, 18" Length, 1 1/2" Capacity, Industrial Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 9-4455 Stud Remover, 1/2" Dri	445-82
9-4256 Socket, Adapter, 3/8" Drive Converts to 1/4" 2.03 EA 49-4258 Socket, Adapter, 3/8" Drive Converts to 1/2" 2.03 EA 49-4271 Socket, Adapter, 1/2" Drive, Converts to 3/4" 4.08 EA 49-4283 Pry Bar, 1/2" x 16" 6.93 EA 49-4283 Pry Bar, 1/2" x 16" 6.93 EA 49-4285 Tool, Bright Red E-Coat for High Visibility 9.31 EA 49-4285 Tool, Bright Red E-Coat for High Visibility 9.31 EA 49-4308 11mm 8.52 EA 49-4319 Cotter Key Puller, 7" Overall Length 4.19 EA 49-4319 Cotter Key Puller, 7" Overall Length 4.19 EA 49-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 4.75 EA 49-4354 1/2" Long 4.11 EA 49-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 4.11 EA 49-4356 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 5.12 EA 44-456 Wrench, Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" 4.19 EA	
3-4258 Socket, Adapter, 3/8' Drive Converts to 1/2" 2.03 EA 49-4271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 49-4271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 49-4283 Pry Bar, 1/2" x 16" 6.93 EA 44 49-4285 Punch and Alignment Set, 5 Piece, 4 Pin Punch, 1 Line Up 9.31 EA 49-4285 Tool, Bright Red E-Coat for High Visibility 9.31 EA 49-4308 11mm 8.52 EA 49-4319 Cotter Key Puller, 7" Overall Length 4.19 EA 49-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 4.75 EA 49-4354 1/2" Long 4.75 EA 49-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 5.12 EA 49-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 5.12 EA 49-4362 through 1", Plastic Pouch 31.09 EA 49-4363 through 1", Plastic Pouch 31.09 EA 49-4363 through 1"mm, Plastic Pouch 33.47 EA 49-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 54-4363 through 19mm, Plastic Pouch 33.47 EA 49-4428 Handle 6.90 EA 49-4435 Universal Joint, 3/8" Drive, 7" Long, Used as a "T" or "L" Handle 6.90 EA 49-4435 Universal Joint, 3/8" Drive, 7" Long, Used as a "T" or "L" Handle 6.90 EA 49-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 49-4441 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 49-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 49-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 49-4450 Erinish 11.86 EA 49-4454 Erinish 16.22 EA 49-4455 Enish 49-4456 Enish 49-4456 Enish 49-4456 Enish 49-4456 Enish 49-4456 Enish 49-4456 Enish 49-4457 Wrench, Adjustable, 18" Length, 1 1/2" Capacity, Industrial 57.12 EA 49-4457 Wrench, Adjustable, 18" Length, 1 1/2" Capacity, Industrial 57.12 EA 49-4457 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 49-4457 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 49-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial 57.12 EA	445-82
9-4271 Socket, Adapter, 1/2" Driver, Converts to 3/4" 4.08 EA 4-9-4283 Pr. Bar., 1/2" x 16" 6.93 EA 4-9-4285 Pr. Bar., 1/2" x 16" 6.93 EA 4-9-4285 Tool, Bright Red E-Coat for High Visibility 9.31 EA 4-9-4308 11mm 8.52 EA 4-9-4319 Cotter Key Puller, 7" Overall Length 4.19 EA 4-9-4319 Cotter Key Puller, 7" Overall Length 4.19 EA 4-9-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 5lide Bar Handle, 1/4" Drive, 4" Long 4.11 EA 4-9-4354 1/2" Long 4.12" Long 4.12" Long 4.12" Long 4.12" Long 4.12" Long 4.12" Long 5.12 EA 4-9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 5.12 EA 4-9-4362 through 1". Plastic Pouch 4" Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" 11.09 EA 4-9-4362 through 1". Plastic Pouch 4" Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 19-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 6.33 EA 4-9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 6.33 EA 4-9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 6.90 EA 4-9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 6.90 EA 4-9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 6.90 EA 4-9-4441 Extension Bar, 3/4" Drive, 8" Length 11.39 EA 4-9-4441 Extension Bar, 3/4" Drive, 8" Length 11.39 EA 4-9-4441 Extension Bar, 3/4" Drive, 8" Length 11.39 EA 4-9-4442 Extension Bar, 3/4" Drive, 18" Long 10-14-14 Extension Bar, 3/4" Dri	445-91
9-4283 Pry Bar, 1/2" x 16" Punch and Alignment Set, 5 Piece, 4 Pin Punch, 1 Line Up 9-4285 Tool, Bright Red E-Coat for High Visibility 9-4308 Wrench, Set, Ignition, Open End, 8 Piece, 5mm through 9-4308 11mm 9-4336 Stetension Bar, Flexible, 1/4" Drive, 4" Long 9-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 9-4354 1/2" Long 9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 9-4362 Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" brive, 19-4362 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm through 1", Plastic Pouch 9-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm through 19mm, Plastic Pouch 9-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm through 19mm, Plastic Pouch 9-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8", 12 Point 9-4363 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 9-4436 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 9-44376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 9-4438 Handle 9-4443 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4443 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4440 Extension Bar, 3/4" Drive, 5" Length 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 8" Length 9-4443 Extension Bar, 3/4" Drive, 18" Long 9-4444 Extension Bar, 3/4" Drive, 18" Long 9-4445 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 9-4450 Finish 11.36 EA Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial Finish 11.86 EA Wrench, Adjustable, 10" Length, 1 1/4" Capacity, Industrial Finish 16.22 EA 9-4455 Finish 17.54 EA Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 16.42 EA Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 57.12 EA 49-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 57.12 EA 49-4458 500 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 57.12 EA 49-4457 500 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity	445-91
Punch and Alignment Set, 5 Piece, 4 Pin Punch, 1 Line Up Tool, Bright Red E-Coat for High Visibility 9.31 EA 44	445-91
9-4285 Tool, Bright Red E-Coat for High Visibility 9-31 EA Wrench, Set, Ignition, Open End, 8 Piece, 5mm through 9-4308 11mm 8-52 EA 4-9-4319 Cotter Key Puller, 7" Overall Length 9-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 9-4336 Slide Bar Handle, 1/4" Drive, Use as "T" or "L" Handle, 4 9-4354 1/2" Long 9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 9-4362 Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" through 1", Plastic Pouch 9-4363 through 19mm, Plastic Pouch 9-4363 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4428 Handle 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 9-4440 Extension Bar, 3/4" Drive, 5" Length 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 18" Long 9-4443 Handle 9-4444 Extension Bar, 3/4" Drive, 18" Long 9-4443 Handle 9-4444 Extension Bar, 3/4" Drive, 18" Long 9-4445 Finish 9-445 Finish 10.22 EA Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial Finish 9-4456 Finish 9-4456 Finish 9-4457 Wrench, Adjustable, 18" Length, 1 1/8" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5"16" to 3/4" Capacity	445-38
9-4308 Wrench, Set, Ignition, Open End, 8 Piece, 5mm through 11mm 8.52 EA 44. 9-4319 Cotter Key Puller, 7" Overall Length 4.19 EA 4. 9-4336 Extension Bar, Flexible, 1/4" Drive, 4" Long 4.75 EA 4. 9-4336 Slide Bar Handle, 1/4" Drive, Use as "T" or "L" Handle, 4 4.11 EA 4. 9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 5.12 EA 4. 9-4362 Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" 4. 9-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 31.09 EA 4. 9-4363 Wrench, Obstruction, Metric, 10 Piece, 3/8" Drive, 10mm 33.47 EA 4. 9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 6.33 EA 4. 9-4428 Handle 4. 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 26.94 EA 4. 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 4. 9-4441 Extension Bar, 3/4" Drive, 5" Length 13.22 EA 4. 9-4442 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 4. 9-4443 Handle 16.22 EA 4. 9-4444 Extension Bar, 3/4" Drive, 18" Long 20.44 EA 4. 9-4443 Handle 16.22 EA 4. 9-4444 Extension Bar, 3/4" Drive, 18" Long 20.44 EA 4. 9-4443 Handle 16.22 EA 4. 9-4444 Extension Bar, 3/4" Drive, 18" Long 20.44 EA 4. 9-4445 Finish 12.39 EA 4. 9-4450 Finish 16.42 EA 4. 9-4451 Finish 16.42 EA 4. 9-4453 Finish 16.42 EA 4. 9-4456 Finish 25.05 EA 4. 9-4456 Finish 25.05 EA 4. 9-4457 Wrench, Adjustable, 18" Length, 1 1/4" Capacity, Industrial 19.4458 5tud Remover, 1/2" Drive, 5"16" to 3/4" Capacity, Industrial 57.12 EA 4. 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial 57.12 EA 4. 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial 57.12 EA 4. 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial 57.12 EA 4.	
9-4308	445-82
9-4319	
9-4336	445-82
Slide Bar Handle, 1/4" Drive, Use as "T" or "L" Handle, 4 1/2" Long 4.11 EA 4.9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long 5.12 EA 4.9-4362 Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" 31.09 EA 4.9-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 33.47 EA 4.9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 6.33 EA 4.9-4476 Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4428 Handle 6.90 EA 4.9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 26.94 EA 4.9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 4.9-4440 Extension Bar, 3/4" Drive, 8" Length 11.39 EA 4.9-4442 Extension Bar, 3/4" Drive, 18" Long 20.44 EA 4.9-4442 Extension Bar, 3/4" Drive, 18" Long 20.44 EA 4.9-4443 Handle 16.22 EA 4.9-4443 Handle 16.22 EA 4.9-4444 Extension Bar, 3/4" Drive, 18" Long 20.44 EA 4.9-4450 Finish 20.44 EA 4.9-4451 Finish 20.44 EA 4.9-4451 Finish 20.45 EA 4.9-4454 Finish 25.05 EA 4.9-4454 Finish 25.05 EA 4.9-4456 Finish 25.05 EA 4.9-4456 Finish 25.05 EA 4.9-4456 Finish 25.05 EA 4.9-4456 Finish 25.05 EA 4.9-4457 Wrench, Adjustable, 18" Length, 11/2" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industrial 57.12 EA 4.9-4458 Stud Remover, 1/2" Drive, 516" to 3/4" Capacity, Industr	445-64
9-4354	445-91
9-4355 Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" 9-4362 through 1", Plastic Pouch Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 9-4363 through 19mm, Plastic Pouch 9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4428 Handle 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 9-4440 Extension Bar, 3/4" Drive, 8" Length 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 18" Long 9-4443 Handle 9-4444 Drive, 18" Long 9-4445 Finish 9-4450 Finish 9-4451 Finish 9-4453 Finish 9-4454 Finish 9-4456 Finish 9-4456 Finish 9-4456 Vrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity	
9-4362 Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" through 1", Plastic Pouch 9-4363 Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm through 19mm, Plastic Pouch 9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4428 Handle 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5-22 EA 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 18" Long 9-4443 Handle 9-4443 Handle 9-4443 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 9-4450 Finish 9-4451 Finish 9-4451 Finish Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 9-4453 Finish 9-4454 Finish 9-4454 Wrench, Adjustable, 15" Length, 1 1/4" Capacity, Industrial 9-4455 Finish 9-4456 Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 9-4456 Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87-54 EA 49-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 10-10mm 33.47 EA 4.4 44-4 45-4 46-9-4458 Stud Remover, 1/2" Drive, 18" Drive, 3/8" Drive, 10mm 33.47 EA 44-4 45-4 46-4 47-7 EA 47-6 48-4 49-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87-54 EA 44-7 44-75 EA 44-75 EA 44-75 EA 44-76 EA 44-77 EA	445-91
9-4362 through 1", Plastic Pouch Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm 9-4363 through 19mm, Plastic Pouch 9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4428 Handle 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-44435 Universal Joint, 3/8" Drive, Swings 90 Degrees 9-4440 Extension Bar, 3/4" Drive, 5" Length 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 16" Long 9-4442 Extension Bar, 3/4" Drive, 16" Long 9-4443 Handle 9-4444 Extension Bar, 3/4" Drive, 18" Long 9-4445 Handle 9-4450 Finish 9-4450 Finish 9-4451 Finish 9-4451 Finish 9-4453 Finish 9-4453 Finish 9-4454 Finish 9-4456 Finish 9-4456 Finish 9-4456 Finish 9-4457 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 87-54 EA 9-4458 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 87-54 EA 9-4458 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish 9-54458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity, Industrial Finish	445-06
9-4363	
9-4363	445-82
9-4363 through 19mm, Plastic Pouch 9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 9-4428 Handle 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 9-4440 Extension Bar, 3/4" Drive, 5" Length 9-4441 Extension Bar, 3/4" Drive, 8" Length 9-4442 Extension Bar, 3/4" Drive, 18" Long 9-4442 Extension Bar, 3/4" Drive, 18" Long 9-4443 Handle 9-4443 Handle 9-4444 Extension Bar, 3/4" Drive, 18" Long, Use as "T" or "L" 9-4443 Handle 9-4445 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial Finish 12.39 EA Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial Finish 9-4451 Finish 11.86 EA Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 9-4453 Finish 9-4454 Finish 9-4455 Finish 9-4455 Finish 9-4456 Finish 9-4456 Finish 9-4457 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA	
9-4376 Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point 6.33 EA 44 9-4428 Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 6.90 EA 44 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 26.94 EA 44 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 44 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 44 9-4441 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4443 Handle 16.22 EA 44 9-4444 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4442 Extension Bar, 3/4" Drive, 18" Long, Use as "T" or "L" 16.22 EA 44 9-4443 Handle 16.22 EA 44 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 11.86 EA 44 9-4450 Finish 11.86 EA 44 9-4451 Finish 11.86 EA 44 9-4453 Finish 25.05 EA 44	445-82
Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" 6.90 EA 44 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 26.94 EA 44 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 44 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 44 9-4441 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 20.44 EA	445-91
9-4428 Handle 6.90 EA 44 9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 26.94 EA 44 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 44 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 44 9-4441 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4443 Handle, 3/4" Drive, 18" Long, Use as "T" or "L" 44 9-4443 Handle 16.22 EA 44 9-4450 Finish 12.39 EA 44 9-4450 Finish 12.39 EA 44 9-4451 Finish 11.86 EA 44 9-4451 Finish 11.86 EA 44 9-4453 Finish 16.42 EA 44 9-4454 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 9-4454 Finish 25.05 EA 44 Wrench, Adjustable, 15" Length, 2 1/16" Capacity, Industrial 57.12 EA	
9-4431 Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long 26.94 EA 44 9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 44 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 44 9-4441 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4443 Handle, 3/4" Drive, 18" Long, Use as "T" or "L" 9-4443 16.22 EA 44 9-4443 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 16.22 EA 44 9-4450 Finish 12.39 EA 44 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial 11.86 EA 44 9-4451 Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 9-4453 Finish 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/4" Capacity, Industrial 25.05 EA 44 9-4454 Finish 39.22 EA 44 9-4456 Finish 57.12 EA <td< td=""><td>445-91</td></td<>	445-91
9-4435 Universal Joint, 3/8" Drive, Swings 90 Degrees 5.22 EA 44 9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 44 9-4441 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4443 Slide Bar Handle, 3/4" Drive, 18" Long, Use as "T" or "L" 16.22 EA 44 9-4443 Handle 16.22 EA 44 9-4450 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 12.39 EA 44 9-4450 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial 11.86 EA 44 9-4451 Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 9-4453 Finish 25.05 EA 44 Wrench, Adjustable, 12" Length, 1 1/2" Capacity, Industrial 25.05 EA 44 9-4454 Finish 39.22 EA 44 9-4455 Finish 57.12 EA 44 9-4456 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57	445-91
9-4440 Extension Bar, 3/4" Drive, 5" Length 11.39 EA 44 9-4441 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4443 Slide Bar Handle, 3/4" Drive, 18" Long, Use as "T" or "L" 16.22 EA 44 9-4450 Handle 16.22 EA 44 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 12.39 EA 44 9-4451 Finish 12.39 EA 44 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial 11.86 EA 44 9-4453 Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 9-4454 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 25.05 EA 44 9-4455 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 39.22 EA 44 9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3	445-91
9-4441 Extension Bar, 3/4" Drive, 8" Length 13.22 EA 44 9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 9-4443 Handle 16.22 EA 44 9-4450 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 12.39 EA 44 9-4451 Finish 12.39 EA 44 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial 11.86 EA 44 9-4451 Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 9-4453 Finish 25.05 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 25.05 EA 44 9-4454 Finish 39.22 EA 44 Wrench, Adjustable, 15" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 <td>445-91</td>	445-91
9-4442 Extension Bar, 3/4" Drive, 16" Long 20.44 EA 44 Slide Bar Handle, 3/4" Drive, 18" Long, Use as "T" or "L" 16.22 EA 44 9-4443 Handle 16.22 EA 44 Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial 12.39 EA 44 9-4450 Finish 12.39 EA 44 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 9-4456 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	445-91
Slide Bar Handle, 3/4" Drive, 18" Long, Use as "T" or "L"	445-91
9-4450	
Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial Finish 12.39 EA 44 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial Finish 16.42 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial Finish 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial Finish 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 57.12 EA 44 44 44 45 44 45 44 45 44 45 44 45	445-91
9-4450 Finish 12.39 EA 44 Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial Finish 16.42 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial Finish 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial Finish 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	
Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial 11.86 EA 44	445-91
9-4451 Finish 11.86 EA 44 Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial Finish 16.42 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial Finish 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial Finish 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA	
Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial 16.42 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 Finish 57.12 EA 44 44 45 45 46 46 47 47 47 48 48 49-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44 44 44 44 45 46 46 46	445-91
9-4453 Finish 16.42 EA 44 Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 25.05 EA 44 9-4454 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 39.22 EA 44 9-4455 Finish 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	
Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial 9-4454 Finish Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 9-4455 Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 9-4456 Finish Fin	445-91
9-4454 Finish 25.05 EA 44 Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 39.22 EA 44 9-4455 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	
Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial 9-4455 Finish Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA	445-91
9-4455 Finish 39.22 EA 44 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	
9-4456 Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	445-91
9-4456 Finish 57.12 EA 44 9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	
9-4457 Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish 87.54 EA 44 9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	445-91
9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	
9-4458 Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity 14.77 EA 44	445-91
	445-91
Wrench, Adjustable, 15/16" Capacity, 8" Length, Industrial	
	445-91
Cylinder Surfacing Hone, 2" - 7" Range, Works with 1/4" or	
	445-82
Brake Cylinder Hone, For 27/32" to 2" Cylinders, 3 240 Grit 1	. 10 02
	445-29
	445-52

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Specialty Tool Kit, 5 Piece, Includes: 1"x2" Inspection Mirror,			
	Magnetic Pick Up Tool, Slotted Screw Starter, Phillips/Torx®			
9-4717	Starter, Scribe with Straight and 90 Deg Point, Plastic Pouch	12.45	EA	445-82
9-6757	Needle File Set, 6 Piece, 5 1/2" Length, Assorted Shapes	9.15	FΔ	445-32
28-20521	Filter Wrench, 2 7/8"-3 1/4", Vinyl Covered Handle	3.60		445-91
20 20021	Thermometer, Laser Directed, Non-Contact, Digital, Infrared,	0.00		110 01
34-50466	Range from -58 Deg F to 1000 Deg F	66.21	ΕA	445-35
	Multimeter, Auto Ranging, Professional, True RMS, Built In			
	Infrared Thermometer, Measures: AC/DC vlotage and			
	Current, resistance, frequency, cpacitance, duty cycle and			
34-81079	contact temperature	86.46	EA	445-35
	Multimeter, Digital, Auto Ranging, Measures: AC/DC Voltage			
	and Current, Resistance, Capacitance, Frequency and			
34-82139	Temperature (thermocouple not included)	22.00	EA	445-35
	Multimeter, Digital, Manual Ranging, AC/DC Voltage, Current			
34-82141	and Resistance, Uses 9V Battery (not included)	10.65	EA	445-35
	Test Lead Set with Storage Pouch, Test Lead Set w/Alligator			
34-82399	Clips, Probes and Leads	11.28	EA	445-79
	Flashlight, Industrial Quality, 2D Cell, Yellow Body, Water and			
34-93104	shock Resistant Resin Body	9.73	EA	445-82
	Flashlight, LED, 2AA, Water Resistant Aluminum, Assorted			
34-93660	Colors	15.43	EA	445-43
	Cordless Tool Battery,18 V; For Use w/ 9-27124, 9-27127,			
9-11034	and 9-26928	57.95	EA	445-27
	Battery Charger, Charger; 7.2 V, 9.6 V, 12 V, 14.4 V, 18 V,			
	and 24 V; For Use w/ 9-11035, 9-11034, 9-11033, 9-11031, 9-			
9-11040	11030, and 9-11019	45.19	EA	445-27
	Battery, 19.2V Diehard, Fits Tools: 9-11497, 9-11496,			
9-11375	9-11498, 9-11499, 9-11574	48.99		445-27
9-1166	Screwdriver, Set, 19 Piece, 11 Slotted, 8 Phillips	33.49	EA	445-82
	Screwdriver Set, Professional, 16 Piece, 6 Slotted, 4 Phillips,			
9-1171	6 Torx®	45.87		445-82
9-1172	Screwdriver, Set, 10 Piece, 5 Slotted, 5 Phillips	18.80		445-82
9-1173	Screwdriver Set, 8 Piece, 5 Slotted, 3 Phillips	14.94	EA	445-82
	Screwdriver, Set, Torx®, 6 Piece, T10, T15, T20, T25, T27,			
9-1259	T30	10.12	EA	445-82
	Punch & Chisel Set,19 Piece; Cold Chisel; Long Cold Chisel;			
	Center Punch; Pin Punch; Prick Punch; Line Up Tool; Punch			
9-1338	& Chisel Set	51.99	ΕA	445-82
0.4045	Pin Punch Set, 6 Piece, 1/16" through 1/4", Bright Red E Coat	44.44	_ ,	45.00
9-1345	for High Visibility, 6 Sleeve Tool Roll	11.41	ΕA	445-82
	Socket Set, 25 Piece Twelve-Point Standard Regular & Deep			
0.4470	with Drive Tools,25 Piece; 1/4 in Drive; 12 Point; Standard;	F0.70		445.00
9-1472	Deep; Socket Wrench Set w/Drive Tools	53.76	EA	445-82
	Socket/Ratchet Set, Standard, 16 Piece, 3/8" Drive, 13			
0.1507	sockets 1/4" through 1", Ratchet, 3" and 6" Extension Bar,	47.04		115 92
9-1507	Blow Molded Case	47.94	EA	445-82
	Socket Set, 33 Piece Six-Point Metric Regular & Deep with			
0.4500	Drive Tools,33 Piece; 3/8 in Drive; 6 Point; Standard; Deep;	00.00	_,	445.00
9-1583	Socket Wrench Set w/Drive Tools Socket, Impact, Standard, 1/2" Drive, 3/8", 6 Point, Laser	93.39	EA	445-82
0_15949		0.45		445-01
9-15848	Etched	2.45	⊏A	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Socket, Impact, Standard, 1/2" Drive, 1/2", 6 Point, Laser			
9-15850	Etched	2.40	EA	445-91
0.45054	Socket, Impact, Standard, 1/2" Drive, 9/16", 6 Point, Laser			
9-15851	Etched	2.37	EA	445-91
0.45054	Socket, Impact, Standard, 1/2" Drive, 3/4", Six Point, Laser	0.74	_,	445 04
9-15854	Etched Socket, Impact, Standard, 1/2" Drive, 15/16", 6 Point, Laser	2.71	EA	445-91
9-15857	Etched	3.07	FΔ	445-91
J-13037	Socket Set, Impact, 1/2" Drive, 12 Piece, Standard, 3/8"	3.07		1440-01
9-15884	through 1 1/16", 6 Point, Laser Etched	33.38	ΕA	445-82
	amought in the first same account and a second	00.00		10 02
9-15894	Socket, Impact, Deep, 3/8" Drive, 1/2", 6 Point, Laser Etched	2.47	EA	445-91
	Socket, Impact, Deep, 3/8" Drive, 9/16", 6 Point, Laser			
9-15895	Etched	2.47	EA	445-91
	Socket, Impact, Deep, 1/2" Drive, 15/16", 6 Point, Laser			
9-15983	Etched	3.90	EA	445-91
	Wrench/Ratchet Set, Standard, 18 Piece, 1/2" Drive, 3/8" - 1			
	1/4" Sockets, 6" Extension Bar, Teardrop Ratchet, 15" Flex T-			
9-1599	Handle, Blow Mold Case	78.80	EA	445-82
	Socket, Impact, Deep, 1/2" Drive, 9/16", 6 Point, Laser		<u>_</u> .	
9-15998	Etched Control of the	3.07	ΕA	445-91
0.40004	Socket, Impact, Deep, Standard, 1/2" Drive, 3/4", 6 Point,	0.44	_ ^	445.04
9-16061	Laser Etched Wrench, Set, Combination, Standard, 10 Piece, 7/16" through	3.41	EA	445-91
0.1607		60.57	E A	115 00
9-1607	1", 12 Point, Roll Up Pouch Socket, Impact, Deep, 1/2" Drive, 17mm, 6 Point, Laser	62.57	EA	445-82
9-16078	Etched	3.36	FΔ	445-91
3 10070	Wrench Set, Combination, Metric, 18 Piece, 7mm - 24mm, 12	0.00		140 01
9-1610	Point, Roll Up Pouch	110.21	ΕA	445-91
0 1010	Wrench Set, Combination, Standard, 10 Piece, 7/16" - 1",			
9-1616	Roll Up Pouch	62.57	EA	445-82
	Grease Gun, Air, Pistol Type, Includes 24" Hose and Grease			
9-16215	Fitting	26.84	EA	445-80
	Wrench, Set, Professional, Combination, Standard, 10 Piece,			
9-1622	7/16" through 1", 12 Point, Roll Up Pouch	131.44	EA	445-82
9-1631	Wrench, Set, Box End, Standard, 11 Pieces, Roll Up Pouch	96.73		445-82
9-16386	Dual Tire Air Chuck, 1/4" Female Thread, 6" Long	2.68	ΕA	445-30
	Air Compressor, Portable Reciprocating Compressor; 15 gal			
0.46704	Horizontal Tank; 3 hp; 120 Volt Single Phase; 1-Stage; 150	202.46	_,	445 20
9-16724 9-18514	psi Drill, Air, Right Angle, 3/8 NPT Air Inlet, 8" Length	202.46 96.68		445-30 445-30
9-10014	Wrench, Impact, Air, Professional, 3/4" Square Drive, 3/8"	90.00	EA	445-30
9-18593	NPT Air Inlet, 1200 ft.lb. Max Torque	410.50	FΔ	445-91
3 10000	Square Drive Air Ratchet, 1/2" Drive Size; 150 rpm; 10-65 ft lb	+10.00	L/\	140 01
9-18819	Torque; 6 ft3/min Air Flow; 14 1/2" Length	131.43	EA	445-30
9-18892	Drill, Air, 1/2", 1/4" NPT Air Inlet, 500 RPM	110.28		445-27
	Grinder Kit, Air, 12 Piece, 6" Length, 1/4" NPT Air Inlet,			
9-19025	Includes 7 Carbide Bits and Plastic Case	144.59	EA	445-30
9-19492	Universal Joint, Impact, 1/2" Drive	5.67	EA	445-82
9-19494	Socket, Adapter, Impact, 1/2" Drive to 3/8" Drive	3.62		445-82
9-19495	Socket, Impact, Double End, 1/2" Drive, 3/4" and 13/16"	3.30		445-82
9-19496	Extension Bar, Impact, 3/8" Drive, 3" Length	2.80		445-82
9-19497	Extension Bar, Impact, 3/8" Drive, 6" Length	3.30		445-82
9-19498	Impact Extension Bar, 1/2" Drive, 3" Length	3.34	EA	445-82

		Net Unit		Commodity
Part Number	Product Description	Price	UOM	Code
9-19499	Extension Bar, Impact, 1/2" Drive, 10" Length	4.66	EA	445-82
	Hammer, Air, Impact, 1/4" NPTF Air Inlet, 2 5/8" Stroke, 3000			
9-19897	Blows Per Minute	21.96	EA	445-30
	Wrench, Impact, Air, Professional, 1/2" Square Drive, 1/4"			
9-19914	NPT Air Inlet, 550ft./lb. Max Torque	124.73		445-91
9-19965	Grinder, Air, 6" Pad, 1/4" NPT Air Inlet	26.22		445-80
9-200483	Advanced Aviation Tool Set, 167 Piece	1,377.89	EA	445-82
	Drill Accessory Kit, 10 Piece, Includes 5 P2 Phillips Bits, 2 6-			
	8 Slotted Bits, Magnetic Insert Bit Holder, Screwguide,	0.44		
9-25599	Flexible Shaft Bit Holder	8.41	ΕA	445-82
0.0040=	Grinder, Angle, Professional, 4 1/2", Paddle Switch, Side			
9-26437	Handle	55.09	ΕA	445-59
	Wrench, Impact, Cordless, 18V, 1/2" Square Drive,			
9-26825	210 ft/lbs. Max Torque, Includes, 1 Batter, Charge and Case	277.20	EA	445-27
	Drill, Professional, 120V, 1/2" Single Sleeve Keyless Chuck,			
0.07404	Variable Speed, Built in Level and Live Tool Indicator, Rear	44004		44= 00
9-27161	Handle, Case	110.04		445-38
9-28174	Hex Key, 3/16", Long Arm	0.33		445-82
9-28178	Hex Key, Long Arm, Standard, 3/8"	1.06		445-82
9-28179	Hex Key, 1/2", Long Arm	3.49	EA	445-82
	Pickle Fork Set, 5 Piece, Fork Sizes 11/16", 15/16 and 1			
9-30308	1/8", 2 handles, 1 for Hammering, 1 for Air Tool	22.45		445-82
9-31251	File, Half Round, Bastard Cut, 10"	5.21		445-42
9-31257	File, Bastard Cut, 10"	3.62		445-42
9-31264	File, Mill, Bastard Cut, 10"	3.09		445-42
9-31277	File, Half Round, Bastard Cut, 8"	4.39		445-42
9-31282	File, Flat, Bastard Cut, 8" Length	2.99		445-42
9-31302	File, Round, 6" Length, With Handle	3.19		445-42
9-31310	File, Mill, 8" Length, With Handle	3.85		445-42
9-31311	File, Half Round, Bastard Cut, 8" Half Round, w/Handle	5.04		445-42
9-31312	File, Round, Bastard Cut, 8", w/Handle	3.79	EA	445-42
0.04004	File, Set, 3 Piece, Includes: 8" Mill, Half Round and Round, With Plastic Handle	1101		445.00
9-31321	File Set, Handled, 5 Piece, 8" Shoe Rasp (no handle), 7" Slim	14.94	EA	445-82
0.04000		22.02		445-82
9-31323	Taper, 8" Mill, 8" Half Round, 8" Round	23.03		
9-31481	Bar Clamp, 6" Mechanic's Tool Set,246 Piece, Inch/Metric, 152 Sockets, 8	15.50	EA	445-18
0.00046	Drive Tools, 26 Wrenches, 60 Additional Tools	204.00		445.00
9-33246	Drive 100is, 26 Wienches, 60 Additional 100is	201.98	EA	445-82
	Machanica Tool Cat. 254 Diago. 456 Sacketa, 26 Wrangha, 0			
0.22254	Mechanics Tool Set, 254 Piece, 156 Sockets, 26 Wrenchs, 9 Drive Tools, 63 Additional Tools, Blow Molded Case	204.42	ΕΛ	115 00
9-33354	Mechanic's Tool Set, 170 Piece, Standard/Metric	204.12		445-82 445-82
9-33870	·	186.83		
9-34083	Mechanics Tool Set, 83 Piece	54.56	EA	445-82
0.24200	Socket Set, Flex, 18 Piece, 1/4" Drive, 3/16" - 9/16" and 5mm	04.50		445.00
9-34298	14mm Drag Link Socket Set, 4 Piece, 1/2" Drive, 9/16", 3/4", 15/16"	91.52	EA	445-82
0.34300		16 15		115 92
9-34299	and 1 3/16"	16.15	EA	445-82
0.04045	Coolest Cot Door 44 Dioce 4/0 Date 4/0 4 4/0 0 D 1	05.00	l_	445.00
9-34315	Socket Set, Deep, 11 Piece, 1/2" Drive 1/2" - 1 1/8", 6 Point	95.20	ΕA	445-82
0.04040	Conduct Cot Oten devid 5 Disease 0/011 Dail 1 4/411 7/4011 0.5.1			445.00
9-34343	Socket Set, Standard, 5 Piece, 3/8" Drive, 1/4" - 7/16", 8 Point	7.45	ΕA	445-82
0.04040	Socket, Set, Standard, 6 Piece, 1/2" Drive, 7/16" through 3/4",		_,	4.5.00
9-34346	8 Point	31.34	ΕA	445-82

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Socket Set, Standard, 13 Piece, 1/2" Drive, 7/16" - 1 1/4", 12			
9-34384	Point	70.55	EA	445-82
	Socket Set, Deep, Standard, 11 Piece, 1/2" Drive, 1/2" - 1			
9-34388	1/8", 12 Point	94.07	EA	445-82
	Drive Accessory Kit, 6 Piece, 1/2" Drive, Includes: 2", 3", 6"			
	and 10" Extension Bar, 15" Flex T-Handle and Speeder			
9-34389	Wrench	44.13	EA	445-82
	Drive Accessory Kit, 9 Piece, 3/8" Drive, Includes: 1 1/2", 3",			
	6" and 10" Extension Bars, 10" Flex T-Handle, 16" Speeder			
9-34392	Bar, 3/8" to 1/4" Adapter, 3/8" to 1/2" Adapter	38.03	EA	445-82
	Socket Set, Standard, 10 Piece, 1/4" Drive, 3/16" - 9/16", 6			
9-34431	Point, Plastic Organizer	7.43	ΕA	445-82
0.04400	Socket Set, Metric, 10 Piece, 1/4" Drive, 5mm - 14mm, 6	= 40		
9-34433	Point, Plastic Organizer	7.43	ΕA	445-82
0.04404	Socket, Set, Deep, Standard, 10 Piece, 1/4" Drive, 3/16"	44.00	_ ,	45.00
9-34434	through 9/16", 6 Point, Plastic Organizer	11.80	EA	445-82
0.04400	Socket, Set, Deep, Metric, 10 Piece, 1/4" Drive, 4mm through	40.00	_ ,	445.00
9-34436	13mm, 6 Point	19.08	EA	445-82
0.04407	Socket, Set, Standard, 9 Piece, 3/8" Drive, 3/8" through 7/8",	7.40	_ ,	445.00
9-34437	6 Point, Plastic Organizer	7.10	EA	445-82
0.04400	Socket, Set, Deep, Standard, 9 Piece, 3/8" Drive, 3/8"	44.00	_ ,	445.00
9-34439	through 7/8", 6 Point, Plastic Organizer	14.93	EA	445-82
0.04440	Socket, Set, Deep, Standard, 9 Piece, 3/8" Drive, 3/8"	45.00		445.00
9-34440	through 7/8", 12 Point, Plastic Organizer	15.29	EA	445-82
0.24444	Socket, Set, Metric, 9 Piece, 3/8" Drive, 10mm through	7.10	_ ^	445.00
9-34441	18mm, 6 Point, Plastic Organizer	7.10	EA	445-82
0.24442	Socket, Set, Deep, Metric, 9 Piece, 3/8" Drive, 10mm through 19mm, 6 Point, Plastic Organizer	4474	_ ^	445.00
9-34443	Socket, Set, Deep, Metric, 9 Piece, 3/8" Drive, 10mm through	14.74	EA	445-82
9-34444	19mm, 12 Point, Plastic Organizer	15.29		445-82
3-34444	Socket, Set, Flexible, 7 Piece, Standard, 3/8" Drive, 3/8"	13.29	LA	445-02
9-34445	through 3/4", 6 Point	47.36	ΕΔ	445-82
3-04440	Socket, Set, Flexible, 7 Piece, Metric, 3/8" Drive, 10mm	47.50	LA	443-02
9-34446	through 19mm, 6 Point	47.36	FΔ	445-82
3-34440	Hex Bit Socket Set, Standard, 6 Piece, 3/8" Drive, Includes	47.50	LA	443-02
9-34447	5/32" through 3/8"	13.63	FΔ	445-82
J-54441	Hex Bit Socket Set, Metric, 6 Piece, 3/8" Drive, Includes 4mm	13.03		773-0Z
9-34448	through 10mm	15.07	FA	445-82
0 0 1 1 10	Torx® Bit Socket Set, 7 Piece, 3 1/4" Drive Bits, 4 3/8" Drive	10.01		1.10.02
9-34449	Bits	25.75	ΕA	445-82
0 0 1 1 1 0	Socket, Set, Standard, 10 Piece, 1/2" Drive, 3/8" through			
9-34450	15/16", 6 Point, Plastic Organizer	14.19	EA	445-82
0 0 1 100	Socket, Set, Metric, 10 Piece, 1/2" Drive, 9mm through			
9-34456	19mm, 6 Point, Plastic Organizer	14.19	EA	445-82
0 0 1 100	Socket, Set, 10 Piece, Metric, 1/2" Drive, 9mm through			
9-34457	19mm, 12 Point, Plastic Organizer	15.52	EA	445-82
	Socket Set, Deep, Metric, 6 Piece, 1/2" Drive, 13mm through			
9-34459	18mm, 6 Point, Plastic Organizer	21.36	EA	445-82
	Socket Set, Deep, Metric, 11 Piece, 1/2" Drive, 13mm -			
9-34494	24mm, 12 Point	95.20	EA	445-82
	Socket, Set, 21 Piece, 10 Standard Sockets, 9 Standard			
9-34496	Deep Sockets, 2 Spark Plug Sockets, 6 Point	37.68	EA	445-82
	Socket, Set, 22 Piece, 9 Metric Sockets, 11 Metric Deep			
9-34497	Sockets, 2 Spark Plug Sockets, 6 Point	37.32	EA	445-82

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Socket Set, Standard, 27 Piece, 1/2" Drive, Includes 14			
	Sockets 3/8" - 1 1/4", 11 Deep Sockets 1/2" - 1 1/8", 2 Spark			
9-34498	Plug Sockets, 6 Point	141.08	EA	445-82
0.04004	Coolect Ctondond 2/01 Drive 4/01 40 Drive Locar Stabed	4.70	_ ^	445.04
9-34634	Socket, Standard, 3/8" Drive, 1/2", 12 Point, Laser Etched	1.70	EA	445-91
	Socket Set, Six-Point Standard/Metric with Drive Tools,32 Piece; 1/4 in & 3/8 in Drive; Standard/Metric; Socket Wrench			
0.24740	· · · · · · · · · · · · · · · · · · ·	26.05	Ε Λ	445-82
9-34740	Set w/Drive Tools Socket/Ratchet Set, 24 Piece, Standard, 1/4" Drive 6 6 Point	26.05	EA	443-62
	Sockets, 4 6 Point Deep Sockets, 3/8" Drive 6 6 Point			
	Sockets, 4 6 Point Deep Sockets, 1 Spark Plug Socket, 3/8"			
	Drive Ratchet, 3" Extension Bar, 3/8" to 1/4" Adapter, Blow			
9-34820	Molded Case	27.48		445-82
9-34020	Socket/Ratchet Set, 24 Piece, Metric, 1/4" Drive 6 6 Point	27.40	LA	445-02
	Sockets, 4 6 Point Deep Sockets, 3/8" Drive 6 6 Point			
	Sockets, 4 6 Point Deep Sockets, 1 Spark Plug Socket, 3/8"			
	Drive Ratchet, 3" Extension Bar, 3/8" to 1/4" Adapter, Blow			
9-34821	Molded Case	27.48	ΕΔ	445-82
3-34021	Socket Set, 6 & 12 Point Metric Regular & Deep with Drive	27.40	LA	443-02
	Tools,79 Piece 1/2 in Drive Standard/Metric Socket Wrench			
9-34824	Set	192.79	FΔ	445-82
3-3-02-1	Socket Set with Drive Tools, 6 & 12 Point Metric Regular &	132.73		773-0Z
	Deep, 42 Piece; 1/2 in Drive; Standard/Metric; Regular &			
9-34825	Deep Sockets; Socket Wrench Set w/Drive Tools	82.79	FΔ	445-82
3-3-023	Socket Set, Six; Eight & Twelve-Point Standard/Metric	02.73		773-0Z
	Regular & Deep with Drive Tools,123 Piece; 3/8 in Drive;			
	Standard/Metric; Regular; Mid Length & Deep Sockets;			
9-34826	Socket Wrench Set w/Drive Tools	165.13	FΔ	445-82
0 04020	CORRECT VITATION COL WIDING TOOLS	100.10		140 02
	Socket Set, Six; Eight & Twelve-Point Standard Regular &			
	Deep with Drive Tools,57 Piece; 1/2 in Drive; Standard;			
9-34842	Regular & Deep Sockets; Socket Wrench Set w/Drive Tools	166.27	FA	445-82
0 0 10 12	Socket/Ratchet Set, Metric, 19 Piece, 1/4" Drive, Includes:	100.21		1.10.02
	4mm - 14mm Sockets, 7mm - 13mm Deep Sockets, Teardrop			
	Ratchet, 3" Extension Bar, 6" Spinner Hanndle, Laser Etched,			
9-34901	Blow Molded Case	22.02	FA	445-82
0 0 100 1	Socket/Ratchet Set, 17 Piece, Metric, 1/2" Drive, Includes	22.02		110 02
	10mm through 27mm, 2 Spark Plug Sockets, Teardrop			
9-34931	Ratchet, 3" Extension Bar, Blow Molded Case	38.68	EA	445-82
	, ,	22.30		
	Wrench, Set, Professional, Combination, Standard/Metric, 26			
9-34951	Piece, 1/4" - 1", 7mm - 19mm, 12 Point, Full Polish	126.61	EA	445-82
	, , , , , , , , , , , , , , , , , , , ,			
	Wrench, Set, Professional, Combination, Standard/Metric, 20			
9-34956	Piece, 3/8"- 15/16" and 10mm - 20mm, 12 Point, Full Polish	84.99	EA	445-82
	Saw, Adjustable, 12", Holds 10" to 12" Blades, Cuts in 4			
9-36142	Positions	6.43	EA	445-58
9-36145	Utility Hacksaw, Aluminum Frame	2.68		445-58
9-37300	Utility Cutter, Professional, Handi-Cut®, 2 1/2" Blade Length	11.16	EA	445-21
9-37301	Utility Cutter, Professional, Handi-Cut®, 3 7/8" Blade Length	11.86	EA	445-21
	Handi-Cut® Utility Cutters, Set, 2 Piece, 2 1/2" and 3 7/8"			
9-37304	Blade Length	23.03	EA	445-21

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Accu-Cut™ Professional 3-In-1 Tool, Wire Cutter, Utility			
9-37310	Cutter and Utility Knife in One	18.52	EA	445-59
9-37341	Rip Bar, 3/4" Hex x 17 3/4" Length	6.50	EA	445-38
9-37342	Pull-N-Pry Bar, Steel, 1 1/2" x 15"	6.17	EA	445-38
9-37345	Wrecking Bar, Steel, 1/2" x 12", Hex	2.93	EA	445-38
9-37346	Wrecking Bar, Steel, 3/4" Hex x 24"	5.04	EA	445-38
9-37347	Wrecking Bar, Steel, 3/4" Hex x 30"	5.83	EA	445-38
9-37392	Tape Measure, Locking, 1" x 8m/26'	8.63	EA	445-35
9-37394	Tape Measure, Bottom Locking, 1" x 25'	8.63	EA	445-35
9-37395	Tape Measure, Locking, 3/4" x 20', Ergonomic Design	7.13	EA	445-06
9-37396	Tape Measure, Locking, 1/2" x 12', Ergonomic Design	5.65		445-06
9-38045	Hammer, Curved Claw, 16oz, Hickory Handle	12.70		445-38
9-38074	Hammer, Set, 5 Piece, 12oz Plastic Tip, 12oz Ball Pein, 16oz Ball Pein, 24oz Ball Pein, 32oz Ball Pein, Hickory Handle	48.93	EA	445-82
9-38095	Hammer, Rip Claw, All Steel, 16oz, Polished Face, Air Cushioned Slip Resistant Grip	16.29	EA	445-38
9-38126	Hammer, Curved Jaw, Fiberglass, 16oz, Synthetic Rubber Grip	13.76	EA	445-38
9-38127	Hammer, Curved Claw, All Steel, 16oz, Air Cushioned Slip Resistant Grip	16.25	EA	445-38
9-38261	Hammer, Double Face Engineers, 48oz, 15" Handle Length	16.02	EA	445-38
	Hammer, Blacksmith, 2 1/2", Beveled Face and Ends, Hickory			
9-38262	Handle	11.11	EA	445-38
9-38292	Hammer, Plastic Tip, 12oz, One Soft Red Tip, One Hard Yellow Tip	10.32	EA	445-38
9-38304	Mallet, Rubber, Non-Marring, Replaceable Tip, 24oz, Hickory Handle	15.08	EA	445-38
9-38309	Hammer, Double Face Engineers, 48oz, 9" Handle Length	15.91	EA	445-38
9-38394	Hammer, Dead Blow, 2lbs, Industrial Grade	26.31		445-38
9-38395	Hammer, Dead Blow, 3lbs, Industrial Grade	36.35		445-38
9-38461	Hammer, Ball Pein, 4oz, Hickory Handle	7.75		445-38
9-38463	Hammer, Ball Pein, 8oz, Hickory Handle	8.01		445-38
9-38465	Hammer, Ball Pein, 16oz, Hickory Handle	9.26		445-38
9-38467	Hammer, Ball Pein, 32oz, Hickory Handle	11.44		445-38
9-38739	Caliper, Dial, English/Metric, Plastic Case	47.37		445-35
0 001 00	Machinist Tool Kit, 3 Piece, 0-6" Range Dial Caliper, 0-1" range Friction Head Micrometer, 6" Machinist Ruler, Wood	17.01		110 00
9-38776	Storage Case	156.93	EA	445-82
9-39255	Level, Heavy Duty Aluminum, 48" Length, Large Comfortable Hand Grips, Top Read Window	25.66	EA	445-46
9-39523	Replacement Blade,25' Length; 1" Width; Use With 9-39674, 9-39678	4.72	EA	445-06
	Combination Square, 12", 1" Blade, Includes Self Aligning			1
9-39567	Drawbolt	6.71		445-46
9-39601	Square, Rafter Marking, 7"	4.58		445-46
9-39602	Rafter Marking Square, Aluminum, 12"	11.60	ĒΑ	445-46
9-39607	Framing Square, Aluminum, 24" x 2" Body, 16" x 1 1/2" Tongue, 1/8" Graduated Scale	9.24	EA	445-46
9-39615	Framing Square, Aluminum, Black Finish, 24" x 2" Body, 16" x 1 1/2" Tongue, 1/8" Graduated Scale	10.12	EA	445-46
9-39829	Level, Torpedo, Aluminum, 9", One Magnetic Edge, One V Groove Edge	5.28	EA	445-46

5	5 5	Net Unit		Commodity
Part Number	Product Description	Price	UOM	Code
0.00040	Protractor, Universal, Magnetic Base and Back, 2 Moveable	0.05	_ ^	445.05
9-39840	Indicators rotate 360 deg	8.05		445-35
9-39861	Level, 12", 2 Level Vials, 1 Pitch and 1 Plumb Vial	9.35		445-46
9-39882	Level, Torpedo, Inspectors, 9", Aluminum Construction	5.62		445-46
9-39914	Case for Levels, 48" Long	6.71		445-46
9-40104	Plum Bob, Solid Brass, 16oz	8.36	ΕA	445-46
	Tool Pouch,3 Pockets; Saddle Leather; Rivet Reinforced;	0.44		
9-40463	Tool Pouch	6.11	ΕA	445-79
0.40474	Belt,2 1/4" W; Quick Release Buckle; 29" to 46" Waist;			
9-40471	Cotton; Web Belt	3.34		445-79
9-40472	Belt,Leather; 29" to 46" Waist; 2" W; Belt	6.16	ΕA	445-79
	Tool Pouch,8 Pockets; Saddle Leather; 2" W Belt;		l	
9-40487	Electrician's Tool Pouch	13.83	ΕA	445-79
	Tool Pouch,1 V-Shaped Pocket; 2 1/2" Tapering to 1"; 2" W			
9-40491	Belt Slots; Leather; Knife Holder	2.34	EA	445-79
	Tool Pouch,9 Pockets; 2 1/2" Tunnel Belt Loop; Tape, T-			
	Chain, Hammer Holders; Saddle Leather; Electrician's Tool			
9-40527	Pouch	20.03	EA	445-79
	Belt,3" W; 33" to 46" Waist; Oil Tanned; Top Grain; Steel			
9-40626	Roller Style Buckle; Leather Belt	11.55	EA	445-79
	Belt,3" W; 27" to 42" Waist; Oil Tanned; Top Grain; Steel			
9-40627	Roller Style Buckle; Leather Belt	11.55	EA	445-79
	Tool & Parts Organizer,54 Pockets; Waterproof; Fits			
9-40664	Standard 5 gal Buckets; Tool Organizer	6.23		445-79
9-40815	Spark Plug Gauge/Thickness Set, 5 Piece	15.48	EA	445-82
	Spark Plug Gauge, Six Wire, Hi-Energy, Includes: .040, .044,			
9-40818	.045, .050, .060 and .080	1.17	EA	445-82
	Tool Bags,8 Pockets; 20" Large Mouth; Telescoping Handles;			
9-40941	Heavy-Duty Wheels; Rolling Tool Bag	29.55	EA	445-79
	Tool Bags,30 Pockets; 16" Large Mouth; Rubber Base; Tool			
9-40942	Bag	17.91	EA	445-79
	Screw Starter, For Slotted Screws, 5 5/8" Length, Releases			
9-41024	Automatically	2.62	EA	445-64
	Screw-Holding Drivers, 1/8" Tip, 4" Shank Length, Thumb			
9-41123	Control	6.00		445-64
9-41124	Screw Holding Drivers,3/16" Slotted Screw Holding Driver	6.29		445-64
9-41247	Screwdriver, Slotted, 3/16" Cabinet Tip, 4" Shank Length	2.76		445-64
9-41248	Screwdriver, Slotted, 3/16" Cabinet Tip, 8" Shank Length	3.32		445-64
9-41293	Screwdriver, Phillips, Size #0, 2 1/2" Long Shank	2.14		445-64
9-41294	Screwdriver, Phillips #1, 3" Shank Length	2.25		445-64
9-41295	Screwdriver, Phillips, Size# 2, 4" Shank Length	2.92		445-64
9-41296	Screwdriver, Phillips Size #2, 8" Blade Length	3.15		445-64
9-41297	Screwdriver, Phillips, Size# 3, 6" Shank Length	3.66		445-64
9-41298	Screwdriver, Phillips, Size #4, 8" Shank Length	3.71		445-64
9-41322	Pick-Up Tool, Flexible, Spring Jaws, 23 1/2" Length	3.12		445-29
9-41328	Bowl, Stainless Steel, Magnetic Bottom, Round, 6"	4.09		445-51
9-41333	Socket Carry Rack, 1/4" Drive, Holds 16 Sockets	1.92		445-79
9-41334	Socket Carry Rack, 3/8" Drive, Holds 14 Sockets	1.92		445-79
9-41335	Socket Carry Rack, 1/2" Drive, Holds 14 Sockets	2.02	EA	445-79
	Replacement Clips for Socket Carry Rack, 3/8" Drive, 10			
9-41337	pack	1.08	EA	445-79
	Screw-Holding Drivers, Phillips #2, 5" Shank Length, Thumb			
9-41362	Control	6.95		445-64
9-41363	Screw Holding Drivers,#2 Phillips Screw Holding Driver	7.18	EA	445-64

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-41421	Screwdriver, Slotted, 1/8" Tip, 2" Shank Length, Pocket Clip	2.47	EA	445-64
	Ratchet, Set, Reversible Offset, 5 Piece, Includes Ratchet			
9-41469	Handle, 1/2" and 3/8" Slotted, #1 and #2 Phillips	7.58	EA	445-82
9-41473	Screwdriver, Torx®, Size T-10	3.12		445-64
9-41474	Screwdriver, Torx®, Size T-15	3.12		445-64
	Screwdriver Set, Stubby, 3/32" x 1 1/2" Slotted and #0 x			
9-41543	1 1/2" Phillips	2.75	EA	445-82
9-41577	Screwdriver, Slotted, 3/16" Tip, 6" Shank Length	2.97		445-64
9-41578	Screwdriver, Slotted, 1/4" Tip, 8" Shank Length	3.79		445-64
9-41579	Screwdriver, Slotted, 5/16" Tip, 6" Shank Length	4.36		445-64
9-41581	Screwdriver, Slotted, 3/16" Tip, 4" Shank Length	2.81		445-64
9-41582	Screwdriver, Slotted, 3/16" Tip, 9" Shank Length	3.46		445-64
9-41583	Screwdriver, Phillips Size #2, 6" Blade Length	3.08		445-64
9-41584	Screwdriver, Slotted, 1/4 Tip, 6" Shank Length	3.26		445-64
9-41585	Screwdriver, Slotted, 1/4" Tip, 12" Shank Length	6.07		445-64
9-41586	Screwdriver, Slotted, 5/16" Tip, 1 3/4" Shank Length	4.27		445-64
9-41587	Screwdriver, Slotted, 5/16" Tip, 8" Shank Length	5.05		445-64
9-41588	Screwdriver, Slotted, 3/8" Tip, 12" Shank	6.48		445-64
9-41589	Screwdriver, Slotted, 1/8" Tip, 4" Long Blade	2.24		445-64
0 11000	Pick Up Tool, Magnetic, Powercap™ Magnet, 10lb lifting	2.2 1		110 01
	Capacity, Stainless Steel Handle extends from 8 1/4" to 30			
9-41602	1/4"	7.82	ΕΔ	445-29
J-4100Z	Screwdriver, Set, Micro, 10 Piece, 4 Slotted, 4 Phillips and 4	7.02		440-20
9-41633	Torx®	18.30	ΕΔ	445-82
9-41641	Screwdriver, Micro, Slotted, 1/8" Tip, 1 1/2" Shank Length	1.98		445-64
9-41642	Screwdriver, Micro, Slotted, 1/8" Tip, 2 1/2" Shank Length	2.34		445-64
3-41042	Screwariver, iviicio, Siottea, 176 Tip, 2 172 Sharik Length	2.04	LA	443-04
9-41643	Screwdriver, Micro, Slotted, 9/64" Tip, 2 1/2" Shank Length	2.34	EA	445-64
9-41644	Screwdriver, Micro, Slotted, 5/32" Tip, 2 1/2" Shank Length	2.34	EA	445-64
	Ratcheting Screwdriver Bit Wrench Set,5 Pieces; 2 Slotted			
	Bits; 2 Phillips Bits; Offset Reversible Ratcheting Screwdriver			
9-41715	Bit Wrench Set	7.16	EA	445-82
-	Screwdriver, Set, Readybit® Ratcheting, Includes 14			
9-41796	Assorted Bits	19.98	EA	445-82
9-41852	Screwdriver, Slotted, 3/8" Tip, 8" Shank Length	6.15		445-64
9-41853	Screwdriver, Phillips, Size #2, 6" Shank Length	3.93		445-64
9-41854	Screwdriver, Slotted, 3/16" Tip, 1 1/2" Shank Length	3.49		445-64
9-41855	Screwdriver, Phillips, Size #1, 1 1/2" Shank Length	3.47		445-64
9-41971	Nut Driver, Standard, 1/4", Color Coded	3.55		445-06
9-41972	Nut Driver, Standard, 5/16", Color Coded	3.66		445-06
9-41974	Nut Driver, Standard, 3/8", Color Coded	3.66		445-06
9-41975	Nut Driver, Standard, 7/16", Color Coded	3.97		445-06
9-41977	Nut Driver, Standard, 7/16", Color Coded	3.52		445-06
9-41983	Nut Driver, Metric, 7mm, Color Coded	3.15		445-06
5 11000	The strong money ming color could	0.10	 `	
9-42112	Wrench Set, Ratcheting, Box End, Standard/Metric, 12 Piece, 7 Standard 1/4" - 1 1/4", 5 Metric 7mm - 21mm, 12 Point	79.97	EA	445-82
9-42160	Wrench, Set, Ratcheting, Box End, 5 Piece, 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x3/4", 11/16"x7/8", 12 Point	26.05		445-82
0 12100	Wrench, Ratcheting, Box End, Standard, 3/8" x 7/16", 12	20.00		. 10 02
9-42162	Point	4.20	EA	445-91
	Wrench, Ratcheting, Box End, Standard, 1/2" x 9/16", 12			
9-42163	Point	5.32	EA	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-42164	Wrench, Box End, Ratcheting, Standard, 5/8" x 3/4", 12 Point	6.22	FA	445-91
9-42193	Nut Driver, 5/16", Cushion Grip, Color Coded	3.31		445-64
9-42196	Nut Driver, Standard, 7/16", Cushion Grip, Color Coded	3.52		445-64
9-42319	Wrench, Set, Ignition, Combination, Includes 5/32" thru 7/16"	9.96	EA	445-82
9-42339	Wrench Set, Ignition, Combination, Metric, 10 Piece, 4mm - 11mm	10.21	ΕΛ	445-82
9-42339	Wrench Set, Combination, Locking Flex Ratcheting, Metric, 7	10.21	LA	443-02
9-42401	Piece, 8mm - 19mm	101.93	EA	445-82
9-42404	Wrench, Set, Combination, Reversible Ratcheting, Standard, 8 Piece, 5/16" through 3/4"	81.08	EA	445-82
9-42412	Wrench, Combination, Reversible Ratcheting, Standard, 5/16"	11.39	EA	445-91
9-42413	Wrench, Combination, Reversible Ratcheting, Standard, 3/8"	12.26	EA	445-91
	Wrench, Reversible Ratcheting, Combination, Standard,			
9-42414	7/16"	12.05	EA	445-91
9-42415	Wrench, Reversible Ratcheting, Combination, Standard, 1/2"	12.73	EA	445-91
9-42416	Wrench, Reversible Ratcheting, Combination, 9/16"	13.07	EA	445-91
9-42417	Wrench, Combination, Reversible Ratcheting, 5/8"	13.99	EA	445-91
9-42418	Wrench, Reversible Ratcheting, Standard, 11/16"	15.02	EA	445-91
0.42440	Wrench, Combination, Reversible Ratcheting, Standard, 3/4"	44.70	_^	445.04
9-42419	3/4	14.72	EA	445-91
9-42421	Wrench, Reversible Ratcheting, Combination, Metric, 10mm	11.43	EA	445-91
9-42422	Wrench, Reversible Ratcheting, Combination, Metric, 11mm	12.10	EA	445-91
9-42424	Wrench, Reversible Ratcheting, Combination, Metric, 13mm	12.75	EA	445-91
9-42425	Wrench, Combination, Reversible Ratcheting, Metric, 14mm	13.66	EA	445-91
9-42426	Wrench, Combination, Reversible Ratcheting, Metric, 15mm	14.73	EA	445-91
9-42427	Wrench, Combination, Reversible Ratcheting, Metric, 16mm	15.06	EA	445-91
9-42428	Wrench, Combination, Reversible Ratcheting, Metric, 17mm	14.77	EA	445-91
9-42430	Wrench, Reversible Ratcheting, Combination, Metric, 19mm	15.64	EA	445-91
9-42444	Wrench Set, Ratcheting, Combination, Standard, 8 Piece, 5/16" - 3/4", Display Rack	51.80	EA	445-82
9-42445	Wrench Set, Ratcheting, Combination, Metric, 8 Piece, 8mm - 18mm, Display Rack	51.80	EA	445-82
9-42512	Wrench Set, Extreme Grip, 3 Piece, Standard, 7/16"x1/2", 9/16"x5/8", 11/16"x3/4"	21.92	EA	445-82
9-42542	Wrench, Combination, Open End/Socket End, 1/2"	7.73		445-91
9-42546	Wrench, Combination, Open End/Socket End, 34"	10.52		445-91
9-42635	Wrench, Combination, Ratcheting, Standard, 7/16"	7.85		445-91
9-42636	Wrench, Ratcheting, Combination, Standard, 1/2"	8.19		445-91
9-42637	Wrench, Combination, Ratcheting, Standard, 9/16"	8.36	EA	445-91
9-42638	Wrench, Ratcheting, Combination, Standard, 5/8"	8.46	EA	445-91
9-42639	Wrench, Combination, Ratcheting, Standard, 3/4"	9.41		445-91
9-42640	Wrench, Combination, Ratcheting, Metric, 8mm	6.82	EA	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-42641	Wrench, Ratcheting, Combination, Metric, 10mm	6.91		445-91
9-42643	Wrench, Ratcheting, Combination, Metric, 13mm	8.21		445-91
9-42647	Wrench, Ratcheting, Combination, Standard, 11/16"	8.72		445-91
9-42664	Socket, Torx® Bit, 3/8" Drive, T-30 Size	4.69		445-64
9-42665	Socket, Torx® Bit, 3/8" Drive, T-40 Size	4.52	EA	445-64
9-42666	Socket, Torx® Bit, 3/8" Drive, T-45 Size	5.17		445-64
9-42674	Socket, Hex Bit, 3/8" Drive, 4mm	2.87	EA	445-91
9-42675	Socket, Hex Bit, 3/8" Drive, 5mm	2.73	EA	445-91
9-42676	Socket, Hex Bit, 3/8" Drive, 6mm	2.75	ΕA	445-91
9-42678	Socket, Hex Bit, Metric, 3/8" Drive, 8mm	2.82		445-91
9-42679	Socket, Hex Bit, Metric, 3/8" Drive, 10mm	3.07		445-91
9-42680	Hex Bit Socket Set, 18 Piece, 3/8" Drive, 6 Standard Bits, 6 Metric Bits, 3 Slotted Screwdriver Bits, 3 Phillips Bits	51.97	EA	445-82
9-42703	Socket, Hex Bit, 1/4" Drive, 1/4"	2.33	EA	445-91
9-42712	Drive Bit Set, 12 Piece, 1/4" Drive, 5 Hex Bit Sockets, 2 Slotted Bit Sockets, 2 Phillips Bit Sockets, 3 Torx® Bit Sosckets	23.34	ΕΛ	445-82
9-42723	Socket, Bit Set, 23 Piece, 3/8" Drive, 6 Standard Hex Bits, 6 Metric Hex Bits, 4 Torx® Bits, 3 Slotted Bits, 4 Phillips Bits	43.89		445-82
9-42841	Prick Punch, 3/8" Point, 4 1/2" Length, Bright Red E-Coat for High Visibility	3.83	EA	445-49
	Cold Chisel, 12" Long, 3/4", Bright Red E-Coat for High			
9-42853	Visibility	8.31	EA	445-15
9-42854	Cold Chisel, Long, 7/8" Cut Width; 3/4" Hex Size; 12" Length Center Punch, 3/8" Point, 4 1/2" Length, Bright Red E-Coat	9.31	EA	445-15
9-42861	for High Visibility Center Punch, 1/2" Point, 6" Length, Bright red E-Coat for	3.72	EA	445-49
0.40000	High Visibility	4.40		445-49
9-42862	Wrench, Combination, Metric, 10mm, 6 Point	4.48 3.20		445-49
9-42867	Wrench, Combination, Metric, 10mm, 6 Point Wrench, Combination, Metric, 17mm, 6 Point			
9-42874 9-42881	Pin Punch, Pin Punch; 1/16" Size; 4 1/4" Length	4.95 3.69		445-91
		3.69		445-15
9-42882	Pin Punch, 3/32" Size; 4 7/16" Length Pin Punch, 1/8" Point, 4 1/2" Length, Bright Red E-Coat for			445-15
9-42883	High Visibility	3.74		445-15
9-42884	Pin Punch, 5/32" Size, 5" Length	3.75	EA	445-15
9-42886	Pin Punch, 1/4" Size, 5 3/8" Length	3.75	EA	445-15
9-42901	Line Up Tool, 5/32" Point, 7" Length, Bright Red E-Coat for High Visibility	4.36	EA	445-15
9-42902	Line Up Tool, 3/16" Point, 9" Length, Bright Red E-Coat for High Visibility Line Up Tool, 1/4" Point, 12" Length, Bright Red E-Coat for	6.00	EA	445-15
9-42903	High Visibility	7.11	EA	445-15
9-42909	Wrench, Combination, Metric, 6mm, 12 Point	2.86		445-91
9-42911	Wrench, Combination, Metric, 7mm, 12 Point	2.91	EA	445-91
9-42912	Wrench, Combination, Metric, 8mm, 12 Point	2.78	EA	445-91
9-42913	Wrench, Combination, Metric, 9mm, 12 Point	2.98		445-91
9-42914	Wrench, Combination, Metric, 10mm, 12 Point	3.08		445-91
9-42915	Wrench, Combination, Metric, 11mm, 12 Point	3.37	EA	445-91
9-42916	Wrench, Combination, Metric, 12mm, 12 Point	3.48		445-91
9-42918	Wrench, Combination Metric, 14mm, 12 Point	4.18	EA	445-91
9-42919	Wrench, Combination, Metric, 15mm, 12 Point	4.75		445-91
9-42921	Wrench, Combination, Metric, 19mm, 12 Point	5.61	EA	445-91

		Net Unit		Commodity
Part Number	Product Description	Price	UOM	Code
9-42922	Wrench, Combination, Metric, 22mm, 12 Point	6.84		445-91
9-42923	Wrench, Combination, Metric, 24mm, 12 Point	8.01		445-91
9-42924	Wrench, Combination, Metric, 16mm, 12 Point	4.48		445-91
9-42925	Wrench, Combination, 22mm, 12 Point	5.02		445-91
9-42929	Wrench, Combination, Metric, 17mm, 12 Point	4.77	EA	445-91
9-42932	Wrench, Combination, Metric, 26mm, 12 Point	9.86		445-91
9-42933	Wrench, Combination, Metric, 27mm, 12 Point	11.64		445-91
9-42935	Wrench, Combination, Metric, 30mm, 12 Point	14.11	EA	445-91
9-42936	Wrench, Combination, Metric, 32mm, 12 Point	14.43	EA	445-91
9-42937	Wrench, Combination, Metric, 20mm, 12 Point	6.27	EA	445-91
9-42938	Wrench, Combination, Metric, 21mm, 12 Point	6.90	EA	445-91
9-42939	Wrench, Combination, Metric, 23mm, 12 Point	7.89	EA	445-91
	Wrench, Set, Open End, Standard/Metric, 28 Piece, 14			
9-42955	Standard Wrenches, 14 Metric Wrenches	130.53	FA	445-82
9-42972	Cold Chisel, 3/8" Edge, 5/16" Stk, 5" Length	4.33		445-15
0 12072	Cold Chisel, 1/2" Edge, 7/16" STK, 5 3/4" Length, Bright Red	1.00		110 10
9-42973	E-Coat for High Visibility	4.89	ΕΔ	445-15
3-42313	Cold Chisel, 5/8" Edge, 1/2" STK, 6" Length, Bright Red E-	4.03	LA	440-10
9-42974	Coat for High Visibility	5.51	Ε Λ	445-15
3-42314	Cold Chisel, 3/4" Edge, 5/8" STK, 6 1/2" Length, Bright Red E-	3.31	LA	445-15
0.40075		6.50	_ ^	445 45
9-42975	Coat for High Visibility	6.59		445-15
9-42976	Cold Chisel; 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length	8.19		445-15
9-42999	Socket, Standard, 3/8" Drive, 1/4", 6 Point	1.27		445-91
9-43000	Socket, Standard, 3/8" Drive, 5/16", 6 Point	1.27		445-91
9-43001	Socket, Standard, 3/8" Drive, 3/8", 6 Point	1.39		445-91
9-43002	Socket, Standard, 3/8" Drive, 7/16", 6 Point	1.33		445-91
9-43003	Socket, Standard, 3/8" Drive, 1/2", 6 Point	1.34		445-91
9-43004	Socket, Standard, 3/8" Drive, 9/16", 6 Point	1.34		445-91
9-43005	Socket, Standard, 3/8" Drive, 5/8", 6 Point	1.41		445-91
9-43006	Socket, Standard, 3/8" Drive, 11/16", 6 Point	1.57	EA	445-91
9-43007	Socket, Standard, 3/8" Drive, 3/4", 6 Point	1.59	EA	445-91
9-43013	Socket, Standard 3/8" Drive, 7/8", 6 Point	2.24	EA	445-91
9-43020	Socket, Standard, 3/8" Drive, 15/16", 6 Point	1.74	EA	445-91
9-43021	Socket, Standard, 3/8" Drive, 1", 6 Point	1.75		445-91
0.40007	Wrench, Set, Ratcheting Offset Box End, Standard/Metric, 5	04.04	l_	445.00
9-43027	Standard Wrenches, 7 Metric Wrenches, 12 Point	64.94	EA	445-82
	Wrench Set, Open End, Standard, 14 Piece, 1/4" - 1 5/8"	0.4 = 4		
9-43075	Capacity, Roll Up Pouch	81.54	ΕA	445-82
	Wrench Set, Open End, Metric, 14 Piece, 6mm - 32mm			
9-43076	Capacity, Roll Up Pouch	74.83	EA	445-82
	Socket Set, Deep, 6 & 12 Point Standard/Metric Regular &			
	Deep with Drive Tools,38 Piece; 1/2 in Drive;			
	Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to			
	27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes			
9-43139	QR Teardrop Ratchet and 3" & 6" Extension Bar	125.43	EA	445-82
	Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard;			
	, ,			
9-43140	·	272.96	EA	445-82
9-43139 9-43140		125.43 272.96		445-82 445-82

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular			
	with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric;			
	Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" &			
	13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets;			
	#1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets;			
9-43143	3" & 6" Extension Bar	156.79	EA	445-82
	Socket, Deep, Set,82 Piece, 6 & 12 Point Standard/Metric	700110		
	Regular 1/4 in; 3/8 in; 1/2 in Drive; Standard/Metric; Regular			
9-43148	& Deep; Socket Wrench Set	82.56	EΑ	445-82
9-43169	Punch Set, Extra Long, 6 Piece, Vinyl Pouch	16.74		445-82
9-43205	Socket, Flex, 3/8" Drive, Metric, 14mm	5.31		445-91
0 10200	Scened, Flex, 676 Birre, Medie, Fillian	0.01		11001
	Pry Bar, Set, 5 Piece, 1/4"x8", 3/8"x12", 3/8"x17", 1/2"x25"			
9-43279	and 1/2"x31", Cellulose Acetate Screwdriver Grips	32.70	ΕΔ	445-38
9-43219	and 1/2 xor , Ochalose Acetate Ochewaniver Onpo	32.70	LA	443-30
9-43282	Extension Bar, Set, 3/8" Drive, 1 1/2", 3", 6" and 10" Lengths	11.75	ΕΔ	445-82
9-43202	Extension Bar, Set, 3/8 Drive, 1 1/2, 3, 6 and 10 Lengths Extension Bar, Set, 3 Piece, 1/2" Drive, 3", 6" and 10"	11.73	LA	443-02
9-43283	Lengths	15.84	Ε Λ	445-82
9-43263	Socket, Deep, Standard, 3/8" Drive, 3/8", 12 Point	2.69		445-62
9-43311	Socket, Deep, Standard, 3/8" Drive, 7/16", 12 Point	2.39		445-91
9-43312	Socket, Deep, Standard, 3/8" Drive, 1/2", 12 Point	2.70		445-91
9-43313	Socket, Deep, Standard, 3/8" Drive, 9/16", 12 Point	2.76		445-91
9-43317	Socket, Deep, Standard, 3/8" Drive, 3/4", 12 Point	3.02		445-91
9-43324	Socket, Spark Plug, 3/8" Drive, 5/8", 6 Point	1.81		445-91
9-43325	Socket, Spark Plug, 3/8" Drive, 13/16", 6 Point	1.91		445-91
9-43328	Socket, Deep, Standard, 3/8" Drive, 15/16", 6 Point	4.08		445-91
9-43329	Socket, Deep, Standard, 3/8" Drive, 1", 6 Point	4.03		445-91
9-43331	Socket, Deep, Standard, 3/8" Drive, 7/16", 6 Point	2.56		445-91
9-43332	Socket, Deep, Standard, 3/8" Drive, 1/2", 6 Point	2.70		445-91
9-43333	Socket, Deep, Standard, 3/8" Drive, 3/8", 6 Point	2.71		445-91
9-43334	Socket, Deep, Standard, 3/8" Drive, 9/16", 6 Point	2.96		445-91
9-43335	Socket, Deep, Standard, 3/8" Drive, 5/8", 6 Point	3.02		445-91
9-43336	Socket, Deep, Standard, 3/8" Drive, 11/16", 6 Point	3.38		445-91
9-43337	Socket, Deep, Standard, 3/8" Drive, 3/4", 6 Point	3.46	EA	445-91
9-43339	Socket, Deep, Standard, 3/8" Drive, 7/8", 6 Point	4.08		445-91
9-43340	Socket, Spark Plug, 3/8" Drive, 3/4", 6 Point	1.91	EA	445-91
	Extension Bar, Set, Locking, 3 Piece, 1/4" Drives, 3", 6" and			
9-43345	10" Lengths	21.79	EA	445-82
9-43351	Driver, Plastic Handle, 1/4" Drive, 4 1/2" Long	3.31	EA	445-06
	Extension Bar, Set, Locking, 3 Piece, 3/8" Drive, 3", 6" and			
9-43355	10" Lengths, Plastic Pouch	16.70	EA	445-82
	Wrench, Ratcheting, Offset Box End, Standard, 1/2"			
9-43363	x 9/16", 12 Point	5.71	EA	445-82
	Wrench Set, Ratcheting Box End, Offset, Metric, 5 Piece,			
9-43376	7mm - 21mm	29.52	EΑ	445-82
9-43393	Driver, Plastic Handle, 1/4" Drive, 6" Long	5.16		445-06
0 10000	Locking Extension Set,1/4" Drive; 4 Piece; 1 1/2"; 3" & 6"	0.10		110 00
9-43394	Extension Bar; w/Spinner Handle	9.91	FΔ	445-82
3-40004	Ratchet Repair Kit,1/4 in Drive Size; Use With 9-44807, 9-	3.31		110 -02
0-43424	44812	3 60	ΕΔ	445-91
9-43424	Ratchet Repair Kit,3/8 in Drive Size; Use With 9-44808, 9-	3.68	ĽΑ	440-81
1	· · · · · · · · · · · · · · · · · · ·			
0.42424	44811, 9-44813, 9-44815, 9-44833, 9-44834, 9-44835, 9-	2.00	_,	445 04
9-43434	44836	3.68	ĽΑ	445-91
0.40444	Ratchet Repair Kit,1/2 in Drive Size; Use With 9-44809, 9-			445.04
9-43444	44814, 9-44816, 9-44838	4.98	ĽΑ	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-43480	Socket, Standard, 1/4" Drive, 9/16", 6 Point	1.66	EA	445-91
9-43491	Socket, Standard, 1/4" Drive, 3/16", 6 Point	1.18		445-91
9-43493	Socket, Standard, 1/4" Drive, 1/4", 6 Point	1.01		445-91
9-43494	Socket, Standard, 1/4" Drive, 9/32", 6 Point	1.11		445-91
9-43495	Socket, Standard, 1/4" Drive, 5/16", 6 Point	1.11		445-91
9-43496	Socket, Standard, 1/4" Drive, 11/32", 6 Point	1.23		445-91
9-43497	Socket, Standard, 1/4" Drive, 3/8", 6 Point	1.27		445-91
9-43498	Socket, Standard, 1/4" Drive, 7/16", 6 Point	1.22		445-91
9-43499	Socket, Standard, 1/4" Drive, 1/26", 6 Point	1.34		445-91
9-43502	Socket, Metric, 1/4" Drive, 6mm, 6 Point	1.27		445-91
9-43508	Socket, Metric, 1/4" Drive, 10mm, 6 Point	1.36		445-91
9-43509	Socket, Metric, 1/4" Drive, 11mm, 6 Point	1.36		445-91
9-43511	Socket, Metric, 1/4" Drive, 5.5mm, 6 Point	1.29		445-91
9-43512	Socket, Metric, 1/4" Drive, 14mm, 6 Point	1.83		445-91
9-43513	Socket, Metric, 1/4" Drive, 14mm, 6 Point	1.03		445-91
9-43514	Socket, Metric, 1/4" Drive, 12mm, 6 Point	1.13		445-91
		1.23		
9-43516	Socket, Metric, 3/8" Drive, 6mm, 6 Point			445-91
9-43522	Extension Bar, 1/2" Drive, 2" Length	2.92		445-91
9-43523	Breaker Bar, Flex, T-Handle, 1/4" Drive, 5 1/2" long	7.72		445-91
9-43532	Extension Bar, 1/4" Drive, 14" Long	6.65		445-91
9-43533	Socket, Metric, 3/8" Drive, 7mm, 6 Point	1.00		445-91
9-43536	Socket, Metric, 3/8" Drive, 8mm, 6 Point	1.17		445-91
9-43537	Extension Bar, 3/8" Drive, 1 1/2" Length	1.87		445-91
9-43538	Extension Bar, 1/4" Drive, 1 1/2" Length	1.44		445-91
9-43539	Extension Bar, 1/4" Drive, 3" Long	2.20		445-91
9-43541	Socket, Metric, 3/8" Drive, 9mm, 6 Point	1.40		445-91
9-43542	Socket, Metric, 3/8" Drive, 10mm, 6 Point	1.18		445-91
9-43543	Socket, Metric, 3/8" Drive, 11mm, 6 Point	1.40		445-91
9-43544	Socket, Metric, 3/8" Drive, 12mm, 6 Point	1.11		445-91
9-43545	Socket, Metric, 3/8" Drive, 13mm, 6 Point	1.23	EA	445-91
9-43546	Socket, Metric, 3/8" Drive, 14mm, 6 Point	1.36	EA	445-91
9-43548	Socket, Metric, 3/8" Drive, 17mm, 6 Point	1.52	EA	445-91
9-43549	Socket, Metric 3/8" Drive, 19mm, 6 Point	1.56	EA	445-91
9-43570	Socket, Metric, 3/8" Drive, 16mm, 6 Point	1.42	EA	445-91
9-43573	Socket, Deep, Standard, 1/4" Drive, 1/4", 6 Point	1.92	EA	445-91
9-43575	Socket, Deep, Standard, 1/4" Drive, 5/16", 6 Point	1.80	EA	445-91
9-43576	Socket, Deep, Standard, 1/4" Drive, 11/32", 6 Point	1.92		445-91
9-43577	Socket, Deep, Standard, 1/4" Drive, 3/8", 6 Point	1.70		445-91
9-43578	Socket, Deep, Standard, 1/4" Drive, 7/16", 6 Point	2.04		445-91
9-43579	Socket, Metric, 3/8" Drive, 18mm, 6 Point	1.58		445-91
9-43580	Socket, Metric, 3/8" Drive, 20mm, 6 Point	1.67		445-91
9-43587	Socket, Deep, Standard, 1/4" Drive, 9/16", 6 Point	2.24		445-91
9-43589	Socket, Deep, Standard, 1/4" Drive, 1/2", 6 Point	2.15		445-91
9-43601	Socket, Deep, Standard, 1/4" Drive, 1/4", 12 Point	1.01		445-91
9-43603	Socket, Deep, Standard, 1/4" Drive, 5/16", 12 Point	1.12		445-91
9-43610	Socket, Deep, Standard, 1/4" Drive, 9/16", 12 Point	1.40		445-91
9-43010	Wrench, Box End, Standard, 1/2" x 9/16", 12 Point, 5 1/2"	1.40	LA	440-91
0-43864		2.50	_ ^	145-01
9-43864	Long Wrongh Boy End Standard 2/9" v 7/16" 12 Point	3.59		445-91
9-43922	Wrench, Box End, Standard, 3/8" x 7/16", 12 Point	3.68		445-91
9-43923	Wrench, Box End, Standard, 1/2" x 9/16", 12 Point	4.35	ĽΑ	445-91
	Wrench, Set, Professional, Adjustable, 3 Piece, 6", 8" and 10"	,		
9-44015	Lengths, Cushion Grip	42.00		445-82
9-44024	Carrying Case, Molded, For Torque Wrench 9-44595	6.38		445-91
9-44025	Carrying Case, Molded, For Torque Wrench 9-44597	6.12		445-91
9-44026	Carrying Case, Molded, For Torque Wrench 9-44593	6.38	EA	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Carrying Case, Molded, For Torque Wrench 9-44594 and 9-			
9-44027	44596	6.12	EA	445-91
9-44048	Wrench, Set, Combination, Standard/Metric, 43 Piece, 18 Standard: 1/4"-1 5/16", 25 Metric: 6mm-32mm, 12 Point	166.15	EA	445-82
9-44049	Wrench, Set, Combination, 32 Piece, 16 Standard, 1/4" through 1 1/8", 16 Metric, 7mm through, 24mm, 12 Point	90.50	EΔ	445-82
9-44055	Socket, Standard, 1/2" Drive, 1/2", 6 Point	1.98		445-91
9-44056	Socket, Standard, 1/2" Drive, 9/16", 6 Point	1.89		445-91
9-44057	Socket, Standard, 1/2" Drive, 5/8", 6 Point	1.67		445-91
9-44059	Socket, Standard, 1/2" Drive, 3/4", 6 Point	1.92		445-91
9-44063	Socket, Standard, 1/2" Drive, 13/16", 6 Point	2.08		445-91
9-44064	Socket, Standard, 1/2" Drive, 7/8", 6 Point	2.19		445-91
9-44065	Socket, Standard, 1/2" Drive, 15/16", 6 Point	2.18		445-91
9-44066	Socket, Standard, 1/2" Drive, 1", 6 Point	2.46		445-91
9-44067	Socket, Standard, 1/2" Drive, 1 1/16", 6 Point	2.60	EA	445-91
9-44068	Socket, Standard, 1/2" Drive, 1 1/8", 6 Point	4.36	EA	445-91
9-44069	Socket, Standard, 1/2" Drive, 1 1/4", 6 Point	5.11	EA	445-91
	Wrench, Set, Combination, 28 Piece, 14 Standard, 1/4"			
9-44098	through 1", 14 Metric, 6mm through 19mm, 6 Point	70.77	EA	445-82
	Wrench, Set, Professional, 7 Piece, Stubby, Combination,			
	Metric, 10mm through 18mm, 12 Point, Full Polish, Display			
9-44101	Rack	27.48	EA	445-82
	Wrench, Professional, Stubby, Combination, Standard, 1/2",			
9-44105	12 Point, Full Polish	3.49		445-91
9-44131	Extension Bar, 1/2" Drive, 6" Length	4.95		445-91
9-44133	Extension Bar, 1/2" Drive, 3" Length	3.85		445-91
9-44134	Extension Bar, 1/2" Drive, 20" Length	13.12	EA	445-91
9-44138	Wrench, Set, Professional, Combination, Stubby, Standard, 11Piece, 3/8" through 1", 12 Point, Full Polish, Display Rack Wrench, Set, Professional, Combination, Stubby, Metric, 11	58.96	EA	445-82
9-44139	Piece, 10mm through 22mm, 12 Point, Full Polish, Display Rack	58.96	EA	445-82
0.44454	Slide Bar Handle, 1/2" Drive, 15" Long, Can be Used as a "T"	7.00	_ ,	445.04
9-44151	or "L" Handle	7.86		445-91
9-44161	Speeder Wrench, 1/2" Drive, 18" Long Wrench, Professional, Adjustable, 6" Length, 15/16"	16.68	EA	445-91
9-44166	Capacity, Cushion Grip	15.95	- ∧	445-91
3-44100	Wrench, Professional, Adjustable, 10" Length, 1 1/4"	13.93	LA	443-31
9-44168	Capacity, Cushion Grip	20.26	FA	445-91
0 11100	Wrench, Professional, Adjustable, 12" Length, 1 1/2"	20.20		110 01
9-44169	Capacity, Cushion Grip	27.03	EA	445-91
9-44170	Wrench, Flare Nut, Metric, 16mm x 18mm	5.81		445-91
9-44201	Breaker Bar, Flex T-Handle, 1/2" Drive, 15" Length	16.87		445-91
9-44210	Extension Bar, 1/2" Drive, 6" Length, Industrial Finish	9.71		445-91
9-44211	Extension Bar, 1/2" Drive, 10" Length, Black Industrial Finish	12.03		445-91
9-44222	Socket, Standard, 1/2" Drive, 1/2", 8 Point	3.19		445-91
9-44226	Socket, Standard, 1/2" Drive, 3/4", 8 Point	3.40		445-91
9-44228	Socket, Metric, 1/2" Drive, 18mm, 6 Point	2.24		445-91
9-44230	Socket, Metric, 1/2" Drive, 29mm, 12 Point	4.69		445-91
9-44234	Socket, Metric, 1/2" Drive, 13mm, 12 Point	2.01		445-91
9-44236	Socket, Metric, 1/2" Drive, 15mm, 12 Point	1.92		445-91
9-44237	Socket, Metric, 1/2" Drive, 17mm, 12 Point	1.78	ĽΑ	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-44238	Socket, Metric, 1/2" Drive, 19mm, 12 Point	1.87		445-91
9-44239	Socket, Metric, 1/2" Drive, 22mm, 12 Point	2.08		445-91
9-44240	Socket, Metric, 1/2" Drive, 23mm, 12 Point	1.94		445-91
9-44241	Socket, Spark Plug, 1/2" Drive, 13/16", 6 Point	3.19		445-91
9-44242	Socket, Metric, 1/2" Drive, 24mm, 12 Point	4.28		445-91
9-44243	Socket, Metric, 1/2" Drive, 27mm, 12 Point	2.54		445-91
9-44244	Socket, Metric, 1/2" Drive, 30mm, 12 Point	4.43		445-91
9-44245	Socket, Metric, 1/2" Drive, 32mm, 12 Point	5.00		445-91
9-44248	Socket, Metric, 1/2" Drive, 36mm, 12 Point	6.95		445-91
9-44249	Socket, Metric, 1/2" Drive, 21mm, 12 Point	2.73		445-91
9-44255	Socket, Metric, 1/2" Drive, 13mm, 6 Point	3.27		445-91
9-44258	Socket, Metric, 1/2" Drive, 17mm, 6 Point	1.79		445-91
9-44259	Socket, Metric, 1/2" Drive, 19mm, 6 Point	1.75		445-91
9-44261	Extension Bar, 3/8" Drive, 6" Length	3.72		445-91
9-44262	Extension Bar, 3/8" Drive, 0 Length	5.28		445-91
9-44263	Extension Bar, 3/8" Drive, 10 Length	10.08		445-91
9-44265	Socket, Metric, 1/2" Drive, 22mm, 6 Point	3.49		445-91
9-44266	Socket, Metric, 1/2" Drive, 22mm, 6 Form	3.49		445-91
9-44268	Socket, Metric, 1/2 Drive, 1011111, 12 Point Socket, Metric, 1/2" Drive, 20mm, 12 Point	1.95		445-91
	Socket, Metric, 1/2 Drive, 201111, 12 Point Socket, Metric, 1/2" Drive, 25mm, 12 Point	2.00		
9-44269 9-44271	Speeder Wrench, 3/8" Drive, 16" Long	11.49		445-91
				445-91
9-44276	Socket, Metric, 1/2" Drive, 28mm, 12 Point	2.85		445-91
9-44294	Socket, Metric, 3/8" Drive, 6mm, 12 Point	1.22		445-91
9-44296	Socket, Metric, 3/8" Drive, 8mm, 12 Point	1.47		445-91
9-44302	Socket, Metric, 3/8" Drive, 10mm, 12 Point	1.47		445-91
9-44304	Socket, Metric, 3/8" Drive, 13mm, 12 Point	1.49		445-91
9-44306	Socket, Metric, 3/8" Drive, 15mm, 12 Point	1.16		445-91
9-44307	Socket, Metric, 3/8" Drive, 17mm, 12 Point	1.49	EA	445-91
9-44316	Wrench, Professional, Deep Offset, Standard, 3/8" x 7/16", 12 Point, Full Polish	5.40	EA	445-91
	Wrench, Professional, Deep Offset, Standard, 1/2" x 9/16",			
9-44317	12 Point, Full Polish	6.77	EA	445-91
	Wrench, Professional, Deep Offset, Standard, 3/4" x 7/8", 12			
9-44319	Point, Full Polish	10.73	EA	445-91
9-44329	Socket, Standard, 3/8" Drive, 5/16", 12 Point	1.28		445-91
9-44331	Socket, Standard, 3/8" Drive, 3/8", 12 Point	1.59	EA	445-91
9-44332	Socket, Standard, 3/8" Drive, 7/16", 12 Point	1.59	EA	445-91
9-44333	Socket, Standard, 3/8" Drive, 1/2", 12 Point	1.41	EA	445-91
9-44334	Socket, Standard, 3/8" Drive, 9/16", 12 Point	1.41	EA	445-91
9-44335	Socket, Standard, 3/8" Drive, 5/8", 12 Point	1.41	EA	445-91
9-44336	Socket, Standard, 3/8" Drive, 11/16", 12 Point	1.57	EA	445-91
9-44337	Socket, Standard, 3/8" Drive, 3/4", 12 Point	1.59	EA	445-91
9-44338	Socket, Standard, 3/8" Drive, 13/16", 12 Point	1.62	EA	445-91
9-44343	Socket, Standard, 3/8" Drive, 3/8", 8 Point	2.45	EA	445-91
9-44345	Socket, Standard, 3/8" Drive, 1/2", 8 Point	2.04	EA	445-91
9-44346	Extension Bar, Locking, 1/4" Drive, 3" Length	5.65	EA	445-91
9-44348	Extension Bar, Locking, 1/4" Drive, 10" Length	9.69	EA	445-91
9-44352	Socket, Standard, 3/8" Drive, 15/16", 12 Point	1.75	EA	445-91
9-44353	Socket, Standard, 3/8" Drive, 1", 12 Point	1.55		445-91
9-44356	Extension Bar, Locking, 3/8" Drive, 3" Length	5.51		445-91
9-44357	Extension Bar, Locking, 3/8" Drive, 6" Long	6.23		445-91
9-44358	Extension Bar, Locking, 3/8" Drive, 10" Length	7.34		445-91
9-44363	Breaker Bar, Flex T-Handle, 3/8" Drive, 10" Long	11.47		445-91
9-44383	Wrench, Combination, Standard, 3/8", 6 Point	3.24		445-91
9-44384	Wrench, Combination, Standard, 7/16", 6 Point	3.30		445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-44385	Wrench, Combination, Standard, 1/2", 6 Point	3.58	EA	445-91
9-44386	Wrench, Combination, Standard, 9/16", 6 Point	4.11		445-91
9-44387	Wrench, Combination, Standard, 5/8" 6 Point	4.70	EA	445-91
9-44388	Wrench, Combination, Standard, 11/16", 6 Point	5.11	EA	445-91
9-44389	Wrench, Combination, Standard, 3/4", 6 Point	5.64	EA	445-91
9-44390	Wrench, Combination, Standard, 13/16", 6 Point	6.72	EA	445-91
9-44391	Wrench, Combination, Standard, 7/8", 6 point	6.91	EA	445-91
9-44392	Wrench, Combination, Standard, 15/16", 6 Point	7.91	EA	445-91
9-44407	Socket, Deep, Metric, 1/4" Drive, 10mm, 6 Point	1.94		445-91
9-44408	Socket, Deep, Metric, 1/4" Drive, 11mm, 6 Point	1.80		445-91
9-44409	Socket, Deep, Metric, 1/4" Drive, 12mm, 6 Point	2.25		445-91
9-44411	Socket, Deep, Metric, 1/4" Drive, 13mm, 6 Point	2.34		445-91
9-44415	Socket, Deep, Metric, 3/8" Drive, 11mm, 12 Point	3.03	EA	445-91
9-44422	Socket, Deep, Metric, 3/8" Drive, 17mm, 12 Point	2.98		445-91
9-44426	Socket, Deep, Metric, 3/8" Drive, 10mm, 6 Point	2.75		445-91
9-44427	Socket, Deep, Metric, 3/8" Drive, 11mm, 6 Point	3.20		445-91
9-44429	Socket, Deep, Metric, 3/8" Drive, 13mm, 6 Point	3.12	EA	445-91
9-44432	Socket, Deep, Metric, 3/8" Drive, 15mm, 6 Point	3.10		445-91
9-44433	Socket, Deep, Metric, 3/8" Drive, 16mm, 6 Point	2.96		445-91
9-44434	Socket, Deep, Metric, 3/8" Drive, 17mm, 6 Point	3.37	EA	445-91
9-44435	Socket, Deep, Metric, 3/8" Drive, 18mm, 6 Point	3.38		445-91
9-44436	Socket, Deep, Metric, 3/8" Drive, 19mm, 6 Point	3.53		445-91
9-44462	Socket, Deep, Metric, 1/2" Drive, 20mm, 12 Point	5.32		445-91
9-44502	Wrench, Open End, Metric, 6mm x 8mm	2.73	EA	445-91
9-44503	Wrench, Open End, Metric, 7mm x 9mm	2.84		445-91
9-44504	Wrench, Open End, Metric, 10mm x 11mm	2.99		445-91
9-44511	Socket, Drag Link, 1/2" Drive, 9/16"	5.90	EA	445-91
9-44512	Socket, Drag Link, 1/2" Drive, 3/4"	6.01		445-91
9-44513	Socket, Drag Link, 1/2" Drive, 15/16"	7.01		445-91
9-44519	Wrench, Open End, Metric, 30mm x 32mm	12.77	EA	445-91
	Wrench, Set, Flare Nut, 4 Piece, 3/8"x7/16", 1/2"x9/16",			
9-44565	5/8"x11/16", 3/4"x7/8"	15.51		445-82
9-44572	Wrench, Open End, Standard, 3/8" x 7/16"	2.80		445-91
9-44579	Wrench, Open End, Standard, 1/2" x 9/16"	3.40		445-91
9-44585	Wrench, Open End, Standard, 15/16" x 1"	7.07		445-91
9-44586	Wrench, Open End, 1 1/16" x 1 1/8"	9.46		445-91
9-44587	Wrench, Open End, Standard, 1 1/4" x 1 5/16"	18.38	EA	445-91
	Torque Wrench, Microtork®, 3/8" Drive, Measures 25-250 in.			
9-44593	lbs., 1 in.lbs. Increments, Twist Ring Lock/Unlock	57.35	EA	445-91
	Torque Wrench, Microtork®, 3/8" Drive, Measures 10-75			
9-44594	ft.lbs., 0.5 ft.lbs. Increments, Twist Ring Lock/Unlock	63.21	EA	445-91
	Torque Wrench, Microtork®, 1/2" Drive, Measures 20-150			
9-44595	ft.lbs., 1 ft.lbs. Increments, Twist Ring Lock/Unlock	66.80	EA	445-91
	Torque Wrench, Digitork®, 1/2" Drive, Measures: 25-250			
9-44597	ft.lbs. in 2.0 ft.lbs. Increments	88.59		445-91
9-44603	Wrench, Adjustable, 1 1/8" Capacity, 8" Length	13.74		445-91
9-44604	Wrench, Adjustable, 10" Length, 1 1/4" Capacity	15.34		445-91
9-44605	Wrench, Adjustable, 1 1/2" Capacity, 12" Length	23.65		445-91
9-44606	Wrench, Adjustable, 18" Length, 2 1/16" Capacity	56.36		445-91
9-44608	Wrench, Adjustable, 24" Length, 2 1/2" Capacity	86.76		445-91
9-44664	Wrench, Set, Adjustable, 3 Piece, 6", 8" and 10" Lengths	33.00		445-82
9-44691	Wrench, Combination, 5/16", 12 Point	3.02		445-91
9-44692	Wrench, Combination, Standard, 11/32", 12 Point	3.15		445-91
9-44694	Wrench, Combination, Standard, 7/16", 12 Point	3.34		445-91
9-44695	Wrench, Combination, Standard, 1/2", 12 Point	3.63	EA	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
9-44697	Wrench, Combination, Standard, 5/8", 12 Point	4.76	EA	445-91
9-44698	Wrench, Combination, Standard, 11/16", 12 Point	5.17	EA	445-91
9-44699	Wrench, Combination, Standard, 1/4", 12 Point	2.80	EA	445-91
9-44701	Wrench, Combination, Standard, 3/4", 12 Point	5.71	EA	445-91
9-44702	Wrench, Combination, Standard, 13/16, 12 Point	6.80	EA	445-91
9-44703	Wrench, Combination, Standard, 7/8", 12 Point	7.00	EA	445-91
9-44705	Wrench, Combination, Standard, 1", 12 Point	9.20	EA	445-91
9-44706	Wrench, Combination, Standard, 1 1/16", 12 Point	11.44	EA	445-91
9-44707	Wrench, Combination, Standard, 1 1/8", 12 Point	13.05		445-91
9-44708	Wrench, Combination, Standard, 1 1/4", 12 Point	14.35		445-91
9-44709	Wrench, Combination, 1 5/16", 12 Point	16.09		445-91
0 11100	Wrench, Professional, Adjustable Beak Jaw, 15/16" Capacity,	10.00		. 10 01
9-44713	6" Length	17.85	EA	445-91
9-44714	Wrench, Professional, Beak Jaw, 8" Length, 1 1/8" Capacity Wrench, Professional, Beak Jaw, Adjustable, 10" Length, 1	20.37	EA	445-91
9-44715	1/4" Capacity	27.16	EA	445-91
0.44770	Wrench, Set, Ignition, Open End, Standard, 8 Piece,		_	445.00
9-44778	Includes: 7/32" through 7/16"	8.70	EA	445-82
	Ratchet Set, Professional, Quick Release, Teardrop, 1/4"			
9-44803	Drive, 3/8" Drive, 1/2" Drive, Full Polish	55.57		445-82
9-44807	Ratchet, Teardrop, Quick Release, 1/4" Drive, 5 1/4" Long	11.97	EA	445-91
9-44808	Ratchet, Quick Release, Teardrop, 3/8" Drive, 7 3/4" Length	15.20	EA	445-91
9-44809	Ratchet, Quick Release, Teardrop, 1/2" Drive, 10 3/8" Long	21.46	EA	445-91
9-44814	Ratchet, Professional, Quick Release Teardrop, 1/2" Drive, 10 3/8" Long, Full Polish	40.83	EA	445-91
9-44815	Ratchet, Quick Release, Flex Head, Teardrop, 3/8" Drive, 11 9/16" Long	19.21	EA	445-91
9-44834	Ratchet, Professional, Teardrop, Stubby Flex, 3/8" Drive, 5 5/8" Long	22.24	EA	445-91
9-44837	Ratchet, Teardrop, Quick Release, 3/8" Drive, 6 3/4" Long, Industrial Finish	24.14	ΕA	445-91
9-45075	Pliers, Diagonal-Cutting, 6" Length, Black Vinyl Grip	12.47		445-52
9-45077	Pliers, Diagonal-Cutting, 5" Length, Black Vinyl Grips	12.00		445-52
9-45084	Plier, Bent, Wide Jaw, Diagonal Cutting, 7", Black Vinyl Grips	16.74	EA	445-52
9-45087	Pliers, Duckbill, 8", Black Vinyl Grip	13.57		445-52
	, .			
9-45093	Pliers, Linesman, 7", 1.35" Jaw Capacity, Black Vinyl Grip Pliers, Linesman, 8 1/2", 1 1/2" Jaw Capacity, Black Vinyl	14.61	EA	445-52
9-45094	Handles	16.06	₋ ^	445-52
	Pliers, Long-Nose, 6 1/2" Length, Black Vinyl Grip	12.47		
9-45102	Pilers, Long-Nose, 6 1/2 Length, Black Vinyi Grip	12.47	EA	445-52
9-45103	Pliers, Long Nose, 8" Length, Side Cutter, Black Vinyl Grips	13.26		445-52
9-45104	Plier, Bent Nose, 6", Black Vinyl Grip	13.74		445-52
9-45164	Mechanics Stethoscope, 9 1/4" Long Probe	8.10		445-35
9-45233	Plier, Set, Slip Joint, 3 Piece, 6 3/4", 8" and 10" Lengths	20.52	EA	445-82
9-45235	Plier, Set, 4 Piece, 7" Diagonal, 6 3/4" Slip Joint, 8" Long Nose and 9 1/2" Tongue & Groove	30.30	EA	445-82
9-45293	Plier, Set, Tongue & Groove, 3 Piece, 7", 9 1/2" and 13" Lengths	37.71		445-82
	Autolock Plier Set,2 Pieces; 7" Straight; 9" Curved; AutoLock			
9-45308	Plier Set	37.02	EA	445-52

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Plier, Professional, Auto-Lock®, Curved Jaw, 9" Length,			
9-45309	Locks Up to 1 1/2", Padded Handle	17.66	EA	445-52
	Pliers, Fence Tool, Heavy Duty, 2 Staple Grips in Nose, Black			
9-45325	Vinyl Handles	23.43		445-52
9-45326	Nipper, End-Cutting, Black Vinyl Grip	17.85	EA	445-52
	Plier Set, Professional, 6 Piece, 6 3/4" Slip Joint, 6" Diagonal,			
	8" Long Nose, 9" Linesman, 10 1/2" Tongue & Groove, 8"			
9-45360	Bent Wide Jaw, Double Walled Textured Comfort Grips	101.35	EA	445-82
	Pliers, Slip Joint, 6 3/4", 2 Jaw Positions, 3/16" Jaw Capacity,			
9-45378	Wire Cutting Slot, Black Vinyl Grips	7.58	EA	445-52
	Pliers, Slip Joint, 8", 2 Jaw Positions, 1" Jaw Capacity, Wire			
9-45379	Cutting Slot, Black Vinyl Grips	9.59	EA	445-52
	Pliers, Tongue & Groove, 9 1/2", 5 Jaw Positions, 1 1/2" Jaw			
9-45381	Capacity, Black Vinyl Grips	13.43	EA	445-52
	Plier, Tongue & Groove, 16 1/2", 11 Jaw Positions, 4" Jaw			
9-45384	Capacity, Black Vinyl Grips	41.05	EA	445-52
	Pliers, Tongue & Groove, 7", 3 Position Jaw, 7/8" Jaw			
9-45385	Capacity, Black Vinyl Grips	12.64	EA	445-52
	Pliers, Tonque & Groove, 13", 7 Jaw Positions, 2 1/2" Jaw			
9-45386	Capacity, Black Vinyl Grips	29.89	EA	445-52
	Plier, Set, 6 Piece, 9 1/2" Tongue & Groove, 6 3/4" Slip Joint,			
9-45408	8" Linesman, 6" Diagonal, 8" Duckbill, 6" Long Nose	54.55		445-82
9-45410	Plier, Set, Tonque & Groove, 2 Piece, 7" and 9 1/2"	20.52	EA	445-82
	Plier, Set, 2 Piece, 6 3/4" Slip Joint and 9 1/2" Tongue &			
9-45415	Groove	18.35	ΕA	445-82
0.45400	DI: 0 / I T 0 0 0 0 D: 0 / / 0 II / 0 II	04.05	_ ,	445.00
9-45439	Plier, Set, Large Tongue & Groove, 3 Piece, 9 1/2", 13", 16"	61.05	EA	445-82
0.45407	Plier, Professional, Long Neck Duckbill, 11" Length, Double	05.50	_ ^	445.50
9-45487	Walled Textured Comfort Grips	25.56	EA	445-52
0.45400	Plier, Professional, Long Neck Bent Nose, 11" Length,	00.07	_ ^	445.50
9-45499	Double Walled Textured Comfort Grips	26.37		445-52
9-45570	Strap Wrench, Set, 2 Piece, 4" and 6 3/8" Diameter	9.08		445-82
9-45660	Pliers, Mini, Diagonal, 4 1/2" Length, Plastic Handle	2.90		445-52
9-45661	Pliers, Mini, Needle Nose, 4 1/2" Length, Plastic Handle	2.90	EA	445-52
0.45000	Pliers, Mini, Diagonal Wide Jaw, 4 1/2" Length, Plastic	0.07		445 50
9-45663	Handle	2.87	EA	445-52
0.45665	Diora Mini Bent Needle Need 4 1/2" Length Diestic Hendle	2.62	ΕΛ	115 50
9-45665	Pliers, Mini, Bent Needle Nose, 4 1/2" Length, Plastic Handle Pliers, Mini, End Nipper, 4 1/2" Length, Plastic Handle	2.62		445-52
9-45667	Plier, Set, Mini, 3 Piece, Long Nose Cutting, Needle Nose	2.62	EA	445-52
0.45672		9.40	ΕΛ	115 00
9-45673	and Diagonal Plier, Set, Professional, Locking, 6 Piece, 5" Curved Jaw, 7"	8.40	EA	445-82
	Curved Jaw, 10" Curved Jaw, 7" Straight Jaw, 10" Straight			
9-45706	Jaw, 6" Long Nose	64.02	ΕΛ	115 00
9-45706	Pliers, Professional, Locking, Curved Jaw, 7", with Cutter	61.93 11.16		445-82 445-52
9-45710	Pliers, Professional, Locking, Curved Jaw, 7, with Cutter Pliers, Professional, Locking, Straight Jaw, 7"	10.46		445-52
5-4 5/11	Pliers, Professional, Locking, Straight Jaw, 7 Plier, Set, Professional, Locking, 2 Piece, 7" Straight Jaw, 10"	10.46	LA	+40-0 2
0-45712	Curved Jaw	20.76	E ^	115-92
9-45712	Plier, Set, Professional, Locking, 10" Straight Jaw, 7" Curved	20.76	EA	445-82
0.45712		20.00		115 00
9-45713	Jaw, 6" Long Nose	30.89		445-82
9-45714	Pliers, Professional, Locking, Curved Jaw, 10", Cutter	12.11		445-52
9-45715	Pliers, Professional, Locking, Straight Jaw, 10"	11.39	ĽΗ	445-52

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Plier, Professional, Curved Jaw Locking, 5" Length, With			
9-45717	Cutter	10.34	EA	445-52
	Screwdriver, Precision, 4-in-1, 2 Double Ended Blades,			
9-45734	Includes 1/8" and 5/64" Slotted, #000 and #0 Phillips	6.23	EA	445-82
	Plier, Professional, Tongue & Groove, 9 1/2" Length, Double			
9-45761	Wall Textured Cushion Grips	21.79		445-52
9-45762	Pliers, Professional, Diagonal Cutting, 6"	18.92	EA	445-52
	Pliers, Professional, Long Nose, 8", Double Walled Textured			
9-45763	Comfort Grips	20.43	EA	445-52
	Plier, Professional, Linesman, 9", Double Walled Textured			
9-45764	Comfort Grips	24.87	EA	445-59
	Pliers, Professional, Tongue & Groove, 10 1/2", 2 1/4" Jaw			
9-45766	Capacity, Jaw Guards, Double Wall Textured Cushion Grip	25.61	EA	445-52
	Pliers, Professional, Wide Jaw Diagonal, 8", Double Wall			
9-45767	Textured Comfort Grips	21.32		445-52
9-45787	Mallet, Rubber, 16oz, Hickory Handle	8.66	EA	445-38
	Wrench, Professional, Combination, Standard, 1 1/16", 12			
9-45950	Point, Full Polish	15.79	EA	445-91
	Wrench, Professional, Combination, Standard, 1 1/8", 12			
9-45951	Point, Full Polish	18.82	EA	445-91
	Wrench, Professional, Combination, Standard, 1 1/4", 12			
9-45952	Point, Full Polish	24.21	EA	445-91
	Wrench, Professional, Combination, Standard, 1 5/16", 12			
9-45953	Point, Full Polish	32.74	EA	445-91
	Wrench, Professional, Combination, 1 1/2", 12 Point, Full			
9-45954	Polish	38.81	EA	445-91
	Wrench, Professional, Combination, Metric, 21mm, 12 Point,			
9-45955	Full Polish	8.58	EA	445-91
	Wrench, Professional, Combination, 22mm, 12 Point, Full			
9-45956	Polish	9.17	EA	445-91
	Wrench, Professional, Combination, Metric, 24mm, 12 Point,			
9-45958	Full Polish	9.97	EA	445-91
	Wrench, Combination, Professional, Metric, 30mm, 12 Point,			
9-45960	Full Polish	22.86	EA	445-91
	Wrench, Set, Professional, Combination, Long Pattern,			
	Standard, 5 Piece, 1 1/16" through 1 1/2", 12 Point, Full			
9-45965	Polish, Display Rack	104.70	EA	445-82
	Wrench Set, Professional, Standard, 18 Piece, 1/4" - 1 1/2",			
9-45968	12 Point, Full Polish	163.47	EA	445-82
	Wrench Set, Professional, Metric, 18 Piece, 7mm - 30mm, 12			
9-45969	Point, Full Polish	165.10	EA	445-82
	Wrench, Professional, Combination, Standard, 1/4", 12 Point,			
9-45973	Full Polish	3.24	EA	445-91
	Wrench, Combination, Professional, 3/8", 12 Point, Full			
9-45975	Polish	3.64	EA	445-91
	Wrench, Professional, Combination, Standard, 7/16", 12			
9-45976	Point, Full Polish	3.99	EA	445-91
	Wrench, Professional, Combination, Standard, 1/2", 12 Point,	<u></u>		
9-45977	Full Polish	4.35	EA	445-91
	Wrench, Professional, Combination, Standard, 9/16", 12			
9-45978	Point, Full Polish	4.70	EA	445-91
	Wrench, Professional, Combination, Standard, 11/16", 12			
9-45980	Point, Full Polish	5.11	EA	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Wrench, Professional, Combination, 3/4", 12 Point, Full			
9-45981	Polish	6.95	EA	445-91
	Wrench, Professional, Combination, Standard, 15/16", 12			
9-45984	Point, Full Polish	10.47	EA	445-91
0.45007	Wrench, Professional, Combination, Metric, 8mm, 12 Point,	0.40	_,	145.04
9-45987	Full Polish	3.43	EA	445-91
0.45000	Wrench, Professional, Combination, Metric, 9mm, 12 Point, Full Polish	2.64	E A	445.01
9-45988	Wrench, Professional, Combination, Metric, 10mm, 12 Point,	3.64	EA	445-91
9-45989	Full Polish	3.99	ΕΔ	445-91
9-40909	Wrench, Professional, Combination, Metric, 12mm, 12 Point,	3.99	LA	445-51
9-45991	Full Polish	4.30	FΑ	445-91
0 10001	Wrench, Professional, Combination, Metric, 13mm, Full	1.00		110 01
9-45992	Polish	4.54	EA	445-91
0 .000_	Wrench, Professional, Combination, 18mm, 12 Point, Full			
9-45997	Polish	6.09	EA	445-91
	Wrench, Professional, Combination, Metric, 19mm, 12 Point,			
9-45998	Full Polish	6.95	EA	445-91
	Hex Key Set, T-Handle, 8 Piece, Metric, 2mm - 10mm,			
9-46278	Cushion Grip	20.52	EA	445-82
	Hex Key Set, T-Handle, 18 Piece, Standard/Metric, Cushion			
9-46288	Grip	46.59	EA	445-82
	Socket Set, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools, 60 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 30mm; 5/8" & 13/16" Spark Plug Sockets; 3" to 10" Extension Bar, QR			
9-46300	Teardrop Ratchet, and Universal Joint Included	133.89	Ε Λ	445-82
9-46378	Mechanics Tool Set, 88 Pieces, Standard	109.08		445-82
9-46542	Hex Key, T Handle, 1/8", Cushion Grip	2.53		445-91
9-46543	Hex Key, T Handle, 5/32", Cushion Grip	3.14		445-91
9-46544	Hex Key, T Handle, 3/16", Cushion Grip	3.19		445-91
9-46552	Hex Key, T Handle, 4mm, Cushion Grip	5.76	EA	445-91
9-46572	Mechanics Tool Set, 215 Piece, 128 Sockets, 19 Wrenches, 5 Drive Tools, 63 Additional Tools, Standard/Metric,	171.40	EA	445-82
	Wrench, Set, Professional, Combination, Standard, 14 Piece,			
9-46576	5/16" through 1 1/8", 12 Point, Full Polish, Roll Up Pouch	108.46	FΔ	445-82
3-40370	3/10 through 1 1/0 ; 12 f ont; f dir f onsh; fton op f oden	100.40	LA	443-02
	Wrench, Set, Professional, Combination, Metric, 14 Piece,			
9-46577	9mm through 25mm, 12 Point, Full Polish, Roll Up Pouch	108.46	EA	445-82
	Wrench, Combination, Standard, 1/2", 12 Point, Industrial			
9-46584	Finish	8.44	EA	445-91
	Wrench, Combination, Standard, 9/16", 12 Point, Industrial			
9-46585	Finish	9.54	EA	445-91
	Wrench, Combination, Standard, 3/4", 12 Point, Industrial			
9-46588	Finish	12.64	EA	445-91
	Wrench, Combination, Standard, 7/8", 12 Point, Industrial			
9-46590	Finish	16.43	EA	445-91
	Wrench, Combination, Standard, 15/16", 12 Point, Industrial			
9-46591	Finish	17.91	EA	445-91
	Wrench, Combination, Standard, 1", 12 Point, Industrial		<u>_</u> .	
9-46592	Finish	22.08	ĒΑ	445-91

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Wrench, Combination, Standard, 1 1/16", 12 Point, Industrial			
9-46593	Finish	10.34	EA	445-91
	Wrench, Combination, Standard, 1 1/8", 12 Point, Industrial			
9-46594	Finish	29.34	EA	445-91
	Wrench, Combination, Standard, 1 1/4", 12 Point, Industrial			
9-46595	Finish	34.55		445-91
9-46661	Hex Bit Socket, 3/8" Drive, 3/16"	2.64		445-91
9-46662	Socket, Hex Bit, Standard, 3/8" Drive, 7/32"	2.65		445-91
9-46663	Socket, Hex Bit, 3/8" Drive, 1/4"	2.64		445-91
9-46664	Socket, Hex Bit, 3/8" Drive, 5/16"	2.69		445-91
9-46665	Socket, Hex Bit, Standard, 3/8" Drive, 3/8"	2.82		445-91
9-46667	Hex Key, Short Arm, Metric, 12mm	3.54		445-91
9-46669	Socket, Hex Bit, 3/8" Drive, 5/32"	2.64	ΕA	445-91
9-46677	Hex Key Set, Short and Long Arm, Metric, 20 Piece, Includes 1.5mm - 8mm Short Arm and 1.5 - 6mm Long Arm, Pouch	5.51	EA	445-82
9-46683	Hex Key Set, 14 Piece, Standard, Short and Long Arm, Pouch	4.08	EA	445-82
		30		1
9-46701	Hex Key Set, Folding, 8 Blade, Standard, 5/64" through 1/4"	3.76	EA	445-82
	Torx® Key Set, Folding, 7 Blade, T10, T15, T20, T25, T27,			
9-46703	T30 and T40	8.86	EA	445-82
	Hex Key Set, Folding, 2 Piece, Includes 9 Blade Standard Set			
9-46704	and 8 Blade Metric Set	10.74	EA	445-82
	Hex Key Set, Folding, 3 Piece, Includes: 9 Blade Standard, 8			
9-46705	Blade Metric, 7 Blade Torx®	16.59	EA	445-82
9-46743	Hex Key, Ball End, 3mm, Long Arm	1.06		445-91
9-46744	Hex Key, Ball End, 4mm, Long Arm	1.31		445-91
9-46748	Hex Key, Long Arm, Ball End, Metric, 6mm	1.74		445-91
	Hex Key, Set, Long Arm, Ball End, Standard, 13 Piece, .050"			
9-46754	through 3/8", Plastic Case	14.06	EA	445-82
	Hex Key, Set, Long Arm, Ball End, Metric, 13 Piece, 1.5mm			
9-46755	through 10mm, Plastic Case	13.89	EA	445-82
	Hex Key Set, Long Arm, Ball End, Standard/Metric, 14 Piece,			
9-46756	Plastic Case	13.89	EA	445-82
9-46758	Hex Key, Ball End, 1/16", Long Arm	0.75		445-91
9-46764	Hex Key, Ball End, 5/32", Long Arm	1.17		445-91
9-46767	Hex Key, Long Arm, Ball End, 1/4"	2.12	EA	445-91
	Hex Key Set, Long Arm, Standard, 11 Piece, .050" - 3/8",			
9-46811	Carry Caddy	8.44	EA	445-82
	Hex Key Set, Long Arm, Metric, 11 Piece, 1.5mm - 8mm,			
9-46812	Carry Caddy	8.83	EA	445-82
	Hex Key Set, Short Arm, Standard, 11 Piece, .050" - 3/8",			
9-46813	With Caddy	5.78	EA	445-82
	Hex Key Set, Short Arm, Metric, 11 Piece, 1.5mm -8mm, With			
9-46814	Caddy	5.22	EA	445-82
9-46903	Gear Puller, 7 Ton, 2 Arm, 0-8" Spread	34.15	EA	445-29
9-46905	Gear Puller, 5 Ton, 2 Arms, 0-6" Spread	27.29	EA	445-29
	Wrench Set, Combination, Standard, 26 Piece, 16 Wrenches			
	1/4" - 1 1/8", 10 Ignition Wrenches 5/32" - 7/16", 12 Point,			
9-46935	Blow Molded Case	56.83	EA	445-82
	Wrench Set, Combinatin Standard, 26 Piece, 16 Wrenches			
	7mm - 22mm, 10 Ignition Wrenches 4mm - 11mm, 12 Point,			
9-46936	Blow Molded Case	56.83	EA	445-82

Dort Number	Draduat Description	Net Unit	UOM	Commodity
Part Number	Product Description Wrench Set, Combination, Metric, 5 Piece, 22mm - 30mm, 12	Price	UOM	Code
9-46940	Point, Blow Molded Case	46.04	FΑ	445-82
0 100 10	Pick Up Tool, Magnetic, Lighted, Handle extends from 7	10.01		110 02
9-46946	3/4" to 32 3/4" Length	4.72	EA	445-82
	Pick Up Tool, Magnetic, MegaMag™ Magnetic Head, 15lbs			
9-46947	Lifting Capacity, Handle extends 8 1/4" to 30 1/4"	7.58	EA	445-82
	Wrench, Set, Combination, Standard, 14 Piece, 3/8" through			
9-46970	1 1/4", 12 Point, Industrial Finish	111.06	EA	445-82
	Wrench, Set, Combination, Metric 15 Piece, 10mm through			
9-46971	24mm, 12 Point, Industrial Finish	16.96	EA	445-82
0.47045	Wrench Set, Combination, Metric, 14 Piece, 8mm - 32mm, 12	00.00	_ ^	445.00
9-47015	Point, Roll Up Pouch	62.20	EA	445-82
0.47040	Wrench, Set, Combination, Standard, 18 Piece, 1/4" through	60.04	_ ^	445.00
9-47018	1 5/16", 12 Point Wrench, Set, Combination, Standard, 12 Piece, 1/4" through	69.91	EA	445-82
9-47046	7/8", 12 Point, Display Rack	28.94	EΔ	445-82
3-470-40	Wrench, Set, Combination, Metric, 12 Piece, 7mm through	20.54		773 0Z
9-47047	18mm, 12 Point, Display Rack	28.94	ΕA	445-82
9-47110	Screwdriver, Phillips #1, 3" Shank Length, Cushion Grip	4.67		445-64
-	Screwdriver, Slotted, 3/16" Tip, 3" Shank Length, Cushion			
9-47113	Grip	4.61	EA	445-64
9-47114	Screwdriver, Slotted, 1/4" Tip, 4" Shank Length, Cushion Grip	5.31	EA	445-64
	Screwdriver, Slotted, Cushion Grip, 5/16" Tip, 6" Shank			
9-47115	Length	7.16	EA	445-64
9-47116	Screwdriver Set, 6 Piece, 3 Slotted, 3 Phillips, Cushion Grip	24.79	EA	445-82
0.47470	0 1: 0 0 0 1 5: 40 0: 50 4: 1 5 0: 11:	00.05	_ ,	445.00
9-47170	Screwdriver, Set, Comfort Fit, 10 Piece, 5 Slotted, 5 Phillips	26.05	EA	445-82
9-47184	Screwdriver, Professional, Phillips, Size #1, 4" Shank Length	4.99	⊏Δ	445-64
3-47 104	Screwariver, i Toressional, i Tillips, Size #1, 4 Sharik Lengtii	4.99	LA	443-04
9-47186	Screwdriver, Professional, Phillips, Size #2, 4" Shank Length	6.91	FA	445-64
0 11 100	gg	0.0.		
9-47187	Screwdriver, Professional, Phillips, Size# 3, 6" Shank Length	8.44	EA	44564
9-47188	Screwdriver, Professional, Phillips, Size #4, 8" Shank Length	9.76	EA	445-64
9-47189	Screwdriver, Professional, Slotted, 1/8" Tip, 3" Shank Length	3.68	EA	445-64
	Screwdriver, Professional, Slotted, 3/16" Tip, 6" Shank		<u>_</u>	
9-47191	Length	5.76	ΕA	445-64
9-47194	Coroughiyar Drafaggianal Clatted 1/4" Tip 4" Chank Langth	7.00	Ε Λ	115 61
9-47 194	Screwdriver, Professional, Slotted, 1/4" Tip, 4" Shank Length	7.89	EA	445-64
9-47195	Screwdriver, Professional, Slotted, 1/4" Tip, 6" Shank Length	8.45	FΔ	445-64
5-47 155	Gorewanter, Froressional, Glotted, 1/4 Tip, 6 Ghank Edilgth	0.40		1775-07
9-47196	Screwdriver, Professional, Slotted, 1/4" Tip, 8" Shank Length	9.68	ΕA	445-64
	Screwdriver, Professional, Slotted, 5/16" Tip, 6" Shank			
9-47197	Length	9.91	EA	445-64
9-47199	Screwdriver, Professional, Slotted, 3/8" Tip, 8" Shank Length	11.91	EA	445-64
		<u> </u>	<u> </u>	
9-47201	Screwdriver Set, Professional, 5 Piece, 3 Slotted, 2 Phillips	28.30	EA	445-82
=			<u> </u>	
9-47202	Screwdriver Set, Professional, 8 Piece, 5 Slotted, 3 Phillips	46.58	ĿΑ	445-82

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Screwdriver, Professional, Slotted, 3/16" Tip, 4" Shank			
9-47204	Length	4.88	EA	445-64
	Wrench, Set, Combination, Standard, 12 Piece, 1/4" through			
9-47236	7/8", 6 Point	29.90		445-82
9-47365	Disc Brake Pad Spreader	4.82	EA	445-82
	Retaining Ring Pliers,0.438" - 2" Internal & External; Qtr-			
9-47383	Turn® Retaining Ring Pliers; w/0.070" Tip	6.39	ΕA	445-52
0.47004	Retaining Ring Pliers,0.438" - 2" Internal & External; Qtr-	0.05	_ ^	445.50
9-47384	Turn® Retaining Ring Pliers; w/0.038" Tip	6.95		445-52
9-47385	Retaining Ring Plier Set, Qtr-Turn®, Convertible, 2 Piece	13.03		445-82
9-47387	Retaining Ring Plier Set, Universal, 2 Piece	15.00	EA	445-82
0.47000	Retaining Ring Pliers, 1/4" - 1" Internal; 1/8" - 1" External;	45.70		445.50
9-47396	Small Retaining Ring Pliers	15.79		445-52
9-47500 9-47501	Socket, Standard, 1/2" Drive, 3/8", 12 Point Socket, Standard, 1/2" Drive, 7/16", 12 Point	2.24 2.08		445-91 445-91
9-47502	Socket, Standard, 1/2" Drive, 1/2", 12 Point Socket, Standard, 1/2" Drive, 1/2", 12 Point	1.94		445-91
9-47505	Socket, Standard, 1/2 Drive, 1/2 , 12 Point Socket, Standard, 1/2" Drive, 5/8", 12 Point	1.67		445-91
9-47508	Socket, Standard, 1/2" Drive, 3/4", 12 Point	2.01		445-91
9-47511	Socket, Standard, 1/2" Drive, 13/16", 12 Point	2.08		445-91
9-47512	Socket, Standard, 1/2" Drive, 7/8", 12 Point	2.13		445-91
9-47513	Socket, Standard, 1/2" Drive, 15/16", 12 Point	2.19		445-91
9-47514	Socket, Standard, 1/2" Drive, 1", 12 Point	2.04		445-91
9-47515	Socket, Standard, 1/2" Drive, 1 1/16", 12 Point	2.56		445-91
9-47516	Socket, Standard, 1/2" Drive, 1 1/8", 12 Point	4.38		445-91
9-47517	Socket, Standard, 1/2" Drive, 1 1/4", 12 Point	5.12		445-91
9-47518	Socket, Standard, 1/2" Drive, 1 1/2", 12 Point	5.67		445-91
9-47522	Socket, Deep, Standard, 1/2" Drive, 9/16", 12 Point	4.41		445-91
9-47525	Socket, Deep, Standard, 1/2" Drive, 3/4", 12 Point	4.33		445-91
9-47527	Socket, Deep, Standard, 1/2" Drive, 13/16", 12 Point	4.80		445-91
9-47528	Socket, Deep, Standard, 1/2" Drive, 7/8", 12 Point	4.87		445-91
9-47529	Socket, Deep, Standard, 1/2" Drive, 15/16", 12 Point	5.02		445-91
9-47532	Socket, Deep, Standard, 1/2" Drive, 1 1/16", 12 Point	5.38		445-91
9-47533	Socket, Deep, Standard, 1/2" Drive, 1 1/8", 12 Point	5.73		445-91
9-47583	Socket, Deep, Standard, 1/2" Drive, 9/16", 6 Point	4.41	EA	445-91
9-47586	Socket, Deep, Standard, 1/2" Drive, 3/4", 6 Point	4.33	EA	445-91
9-47588	Socket, Deep, Standard, 1/2" Drive, 7/8", 6 Point	4.87	EA	445-91
9-47589	Socket, Deep, Standard, 1/2" Drive, 15/16", 6 Point	5.02		445-91
9-47591	Socket, Deep, Standard, 1/2" Drive, 1", 6 Point	5.21	EA	445-91
9-47593	Socket, Deep, Standard, 1/2" Drive, 1 1/8", 6 Point	5.73	EA	445-91
9-47632	Bit, Replacment, Phillips Size #3, For Tool 9-47641	0.90	EA	445-06
9-47635	Bit, Replacment, Phillips Size #2, For Tool 9-47641	0.86		445-06
9-47637	Bit, Replacment, Slotted, 3/8", For Tool 9-47641	0.96	EA	445-06
	Driver Set, Hand Impact, 5 Piece, Includes: 1/2" Square Drive			
9-47641	Tool, Adapter, #2, #3 and #4 Phillips Bits, 3/8" slotted bit	12.64		445-82
9-47645	Seal Puller, For Oil and Grease Seals	4.05	EA	445-29
	Socket Set, Master Tap, 11 Piece, Fill All Numbered and			
	Fractional MCTI Standard Taps through 3/4", Fits 1/8" NPT			
9-47764	Taps and Metric Taps through 18mm	32.43		445-82
9-47773	Socket, Standard, 3/4" Drive, 1", 12 Point	5.56		445-91
9-47775	Socket, Standard, 3/4" Drive, 1 1/8", 12 Point	6.28		445-91
9-47777	Socket, Standard, 3/4" Drive, 1 1/4", 12 Point	6.71		445-91
9-47778	Socket, Standard, 3/4" Drive, 1 5/16", 12 Point	7.17		445-91
9-47779	Socket, Standard, 3/4" Drive, 1 3/8", 12 Point	7.82		445-91
9-47782	Socket, Standard, 3/4" Drive, 1 1/2", 12 Point	8.27	EA	445-91

		Net Unit		Commodity
Part Number	Product Description	Price	UOM	Code
9-47783	Socket, Standard, 3/4" Drive, 1 5/8", 12 Point	9.31		445-91
9-47787	Socket, Standard, 3/4" Drive, 1 7/8", 12 Point	11.66		445-91
9-47788	Socket, Standard, 3/4" Drive, 2"	12.62		445-91
9-47792	Socket, Standard, 3/4" Drive, 2 1/4", 12 Point	15.33	EA	445-91
	Wrench, Set, Ignition, Combination, Standard/Metric, 20			
9-47979	Piece, 5/32" through 7/16" and 4mm through 11mm, 12 Point	26.05	EA	445-82
	Level, LaserTrac™, Carrying Case, Laser Enhancing			
9-48251	Glasses, Leveling Base, Tripod, Wall Mount Base	25.08	EA	445-82
	Hydraulic Bottle Jack, Professional, 8 Ton, 8 7/8" - 17 5/8"			
9-50283	Lifting Range	17.86	ΕA	445-90
	Hydraulic Bottle Jack, Professional, 12 Ton Capacity, 9			
9-50284	1/2"-18 5/8" Lifting Range	22.87		445-90
9-50460	Retaining Ring Plier Kit, Professional, 2 Piece	32.37		445-82
9-50464	Retaining Ring Plier Kit, Qtr-Turn®, 12 Piece	61.37	ΕA	445-82
	Wrench Set, Professional, Adjustable, Beak Jaw, 3 Piece, 6",			
9-50475	8" and 10" Lengths	56.84	ΕA	445-82
0.54400	Mechanic's Seat,23 3/4" High; 18 1/4" Wide; 16" Deep; High	77.00	_ ^	445.00
9-51108	Rise Mechanic's Seat	77.00		445-82
9-51148	Creeper, Professional, 44", 2 Up, 6 Position Headrest	123.69	EA	445-82
0.54054	Wrench, Pipe, Heavy Duty, Cast Iron, 1 1/2" Capacity, 10"	40.00	_ ^	445.04
9-51651	Length	12.00	EA	445-91
0.54050	Manage Dine Heavy Duty Cost Inc. 28 Conseit 448 Length	4404	_ ,	445.04
9-51652	Wrench, Pipe, Heavy Duty, Cast Iron, 2" Capacity, 14" Length	14.34		445-91
9-51653	Pipe Wrench, Heavy Duty Cast Iron, 18", 2 1/2" Capacity	20.21	EA	445-91
9-52068	Tap & Drill Set, 13 Piece, Includes: Tap Wrench, 6 Machine	01.17	ΕΛ	115 00
9-52000	Screw Taps, 6 Drills, Case Tap & Die Set, Master Rethreader, 40 Piece, Blow Molded	21.17	EA	445-82
9-52105	Case	38.72		445-82
9-02100	Screw Extractor Set, 4 Piece, 1/4" Shank, Extracts Sizes 1/4"	30.72	LA	443-02
9-52152	to 1/2"	31.26	ΕΔ	445-82
J-02 102	Damaged Nut/Bolt Remover, Bolt-Out®, 5 Piece, Blow	31.20		773-0Z
9-52160	Molded Case	7.89	FΔ	445-82
3 02 100	Moldod Case	7.00		140 02
9-52161	Damaged Nut/Bolt Remover Add on Set, Bolt-Out®, 5 Piece	10.01	FA	445-82
0 02.0.	Damaged Bolt/Nut Remover Set, Impact Grade Bolt-Out®, 9			
9-52165	Piece	42.74	EA	445-82
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Tap & Die Set, Steel, Professional, High Speed, Standard, 39			
9-52306	Piece	157.43	EA	445-82
9-59615	6 Drawer Roll Away,6 Drawer Roll Away: Black	350.79		445-79
	Drill Bit Set, Professional, Cobalt, 21 Piece, Includes: 1/16" -			
9-64085	1/2" in 1/64" increments	45.29	EA	445-82
	Drill Bit Set, Professional, Cobalt, 29 Piece, Includes 1/16"			
9-64086	through 1/2" in 1/64" Increments	96.88	EA	445-82
	Caster Sets,2 Rigid And 2 Swivel w/Brake Caster Set; 5"			
9-65205	Diameter; 2" Wide; Rubber Wheels	39.94	EA	445-79
9-65225	9 Drawer Roll Away, Red	312.76		445-79
9-65247	Tool Chest,6 Drawers; 26" W x 12" D x 15 1/4" H; Tool Chest	168.07	EA	445-79
	Wrench Holder, Holds 12 Craftsman® Wrenches Sizes 1/4"			
9-65272	through 1" or 6mm through 25mm	2.62	EA	445-79
	Screwdriver Holder, Holds up to 13 Craftsman® Screwdrivers			
	of Various Sizes, Not Designed for Craftsman Professional™			
9-65273	Tools	3.44	EA	445-79

Part Number	Product Description	Net Unit Price	UOM	Commodity Code
	Caster Sets,2 Rigid And 2 Swivel w/Brake Caster Set; 5"			
9-65276	Diameter; 2" Wide; Plastic Wheels	29.39	EA	445-79
	Tool & Parts Organizer, Drawer Divider System; Organizes Up			
	To 4 Drawers; 16 "T" Connectors and Four 16 1/4" "L"			
9-65278	Shaped Dividers	4.77	EA	445-79
	Socket Organizer, 3 Trays measuring 6 1/2" Wide x 8" Deep x	4= 00	l	
9-65287	1/3" High, Holds 103 Sockets	15.69		445-79
9-65362	11 Drawer Roll Away,11 Drawer Roll Away; Red	323.44	ΕA	445-79
	Universal Divider System, Hold up to 19 Wrenches when			
0.65207	positioned Parallel, Enough Dividers to Organize 3 Chests for	9.48	_ ^	445.00
9-65397	2 Roll-Away Drawers Foam Drawer Organizer, Includes 2 22 1/4" Width x 16 1/4"	9.48	EA	445-82
	• ·			
	Deep x 1/2 Height inserts, knife, 2 adhesive Layout sheets, Instructions, Enough to organize 3 standard chest drawers or			
9-65417	2 standard roll-away drawers	13.71	Ε Λ	445-79
9-03417	Drawer Liners, Non Slip, Pre Cut Roll-Away Set, 22 1/8" Wide	13.71	LA	443-79
9-65499	x 16 3/8" Deep, 5 Sheets	10.09	EΔ	445-79
9-65502	Drawer Liners, Foam, Roll, 22 1/8" Width, 85 1/2" Length	6.96		445-79
J-03302	Drawer Liners, Premium Non-Slip, Pre Cut, 5 Sheets	0.50		770-70
9-65524	measuring 22 1/8" Wide x 16 3/8" Deep	12.19	FΔ	445-79
3 000Z+	Chest/Cabinet Lock Set,26" Chest, Cabinet Lock Set; Keyed	12.10		140 70
9-65584	Alike; 3 Locks and 3 Overmolded Reversible Keys	13.89	FΑ	445-79
0 00001	Chest/Cabinet Lock Set, 40" Chest, Cabinet Lock Set; Keyed	10.00		110 70
9-65587	Alike; 3 Locks and 3 Overmolded Reversible Keys	13.89	EA	445-79
	Tool Chest,3 Drawers; 23"W x 13 3/8" D x 10 1/2" H;			1.0.0
9-65628	Portable Chest; Plastic	41.62	EA	445-82
9-65660	Roll-Away Top Mat, Extra Thick, 26 1/4" Width, 17 3/4" Depth	8.25	EA	445-79
	Tool Chest,12 Drawers; 26" W x 16" D x 19 3/4" H; Tool			
9-65912	Chest; Red	248.49	EA	445-79
9-66196	Screw Extractor Set, 10 Piece	10.80	EA	445-82
9-66723	C-Clamp, 3" Max Capacity, 1 3/4" Throat Depth	2.92	EA	445-18
9-66724	C-Clamp, 4" Max Capacity, 2" Throat Depth	3.90	EA	445-18
9-66726	C-Clamp, 6" Max Capacity, 2 3/4" Throat Depth	6.95		445-18
9-66728	C-Clamp, 8" Max Capacity, 3 1/4" Throat Depth	8.81	EA	445-18
	Electricians Tool, All Purpose, Strips 10-22 AWG Standard and Solid Wire, Crimps 10-22 AWG Insulated and Non			
9-73575	Insulated Wire Connectors, Crimps 7-8mm Auto Ignition Wire	14.68	EA	445-82
	Stripper/Crimper Set, Professional, 4 Piece, Coax Cable			
	Cutter/Stripper, Dual Romex® Stripper, 10-20 AWG Stripper,			
9-73589	20-32 AWG Stripper, Comfort Grips	45.60	EA	445-21
	Plier, Set, Professional, 4 Piece, Includes: 8" Long Nose, 9"			
	Linesman, 8" Bent Wide, 20-32 AWG Wire Stripper, Double			
9-73634	Walled Textured Comfort Grips	69.46	EA	445-82
	Wire Cutter/Stripper, Professional, Cuts 10-18 Gauge		l	
9-73653	Stranded or Solid Wire	18.94	EA	445-21
	Riveter, Industrial, For 1/8", 3/16" and 5/32" Aluminum Rivets,			4.5
9-74755	For 1/8" Stainless Steel Rivets	28.80		445-30
9-800303	Ratchet, Set, 3 Piece, 1/4" Drive, 3/8" Drive, 1/2" Drive	43.70		445-82
9-82544	Wire Stripper, For Copper Wire, Stips Sizes 16-26	7.01	ĽΑ	445-21
0.02505	Hacksaw Blade, 12" Length, 18 Teeth Per Inch, Replacement	4.40	I_ ^	445.00
9-92595	Blade	1.16		445-08
9-94814	Putty Knife, Wide, Flex, 1 1/2" Width	2.78		445-21
9-94815	Putty Knife, Wide, Extra Stiff, 1 1/4" Width	2.81	ĽΑ	445-21

		Net Unit		Commodity
Part Number	Product Description	Price	UOM	Code
9-94818	Tape Knives, Flex, 6", Soft Ergo Handle	3.57	EA	445-21
	Knife, Metal Lockback, Aluminum Handle with Clip, Includes			
9-94848	Pouch and 3 Blades	7.75	EA	445-21
	Utility Knife, 3 Position, Retractable, 5 1/2" Length, Includes 3			
9-94853	Extra Blades	1.45	EA	445-21
9-94854	Utility Knife, 3 Position, 5 1/2" Length, 3 Extra Blades	1.45	EA	445-21
9-C1010	General Mechanics Tool Kit, 136 Piece, With Foam Tool Holders, Roll Around Insulated Chest, Telescoping Handle	1,789.84	EA	445-82