Chevrolet

Tahoe

7500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM MULTIPOINT INSP PER MANUFACTURE
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
15000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
22500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
30000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
37500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
BRAKE FLUID FLUSH
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION

FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
45000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
REPLACE ENGINE AIR CLEANER FILTER
INSPECT EVAPORATIVE CONTROL SYSTEM
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
52500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
60000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
67500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
75000 METER

CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
BRAKE FLUID FLUSH
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
82500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
90000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
REPLACE ENGINE AIR CLEANER FILTER
INSPECT EVAPORATIVE CONTROL SYSTEM
RESET OIL LIFE SYSTEM
PERFORM MULTIPOINT INSP PER MANUFACTURE
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
97500 METE
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE SPARK PLUG, INSPECT SPARK PLUG WIRE
CHANGE TRANSFER CASE FLUID, IF EQUIP. 4WD
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
105000 METER
CHANGE ENGINE OIL AND FILTER

ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
112500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
BRAKE FLUID FLUSH
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
120000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
127500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
135000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
REPLACE ENGINE AIR CLEANER FILTER
INSPECT EVAPORATIVE CONTROL SYSTEM
RESET OIL LIFE SYSTEM

PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
142500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
150000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
BRAKE FLUID FLUSH
CHANGE ENGINE COOLANT
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
157500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
165000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
172500 METER

CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
180000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE CABIN AIR FILTER
REPLACE ENGINE AIR CLEANER FILTER
INSPECT EVAPORATIVE CONTROL SYSTEM
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
187500 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
BRAKE FLUID FLUSH
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
195000 METER
CHANGE ENGINE OIL AND FILTER
ROTATE TIRES
REPLACE SPARK PLUG, INSPECT SPARK PLUG WIRE
CHANGE TRANSFER CASE FLUID, IF EQUIP. 4WD
RESET OIL LIFE SYSTEM
PERFORM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS
202500
CHANGE ENGINE OIL AND FILTER

ROTATE TIRES
REPLACE CABIN AIR FILTER
RESET OIL LIFE SYSTEM
PERFROM OEM MULTIPOINT INSPECTION
FOLLOW MANUFACTURER MAINTENANCE GUIDELINES
CONTACT HOLMAN FOR ALL ADDITIONAL APPROVALS